

 Digital Absolute Pressure Sensor, 40 to 115 kPa

 Rev. 1 — 16 August 2018
 Pr

**Product data sheet** 

### **1** General description

The FXPS7115D4 high-performance, high-precision Barometric Absolute Pressure (BAP) sensor consists of a compact capacitive Micro-Electro-Mechanical Systems (MEMS) device coupled with a digital Integrated Circuit (IC) producing a fully calibrated digital output.

The sensor is based on NXP's high-precision capacitive pressure cell technology. The architecture benefits from redundant pressure transducers as an expanded quality measure. This sensor delivers highly accurate pressure and temperature readings through either a Serial Peripheral Interface (SPI) or an Inter-Integrated Circuit ( $I^2C$ ) interface. The FXPS7115D4 uses either a 3.3 V or 5 V power supply. Furthermore, the sensor employs an on-demand digital self-test for the digital IC and the MEMS transducers.

The sensor operates over a pressure range of 40 kPa to 115 kPa and over a wide temperature range of -40 °C to 130 °C.

The sensor comes in an industry-leading 4 mm x 4 mm x 1.98 mm, Restriction of Hazardous Substances (RoHS) compliant, high power quad flat no lead (HQFN) package<sup>[1]</sup> suitable for small PCB integration. Its AEC-Q100<sup>[2]</sup> compliance, high

accuracy, reliable performance and high media resistivity make it ideal for use in automotive, industrial, and consumer applications.

### 2 Features and benefits

- Absolute pressure range: 40 to 115 kPa
- Operating temperature range: –40 °C to 130 °C
- · Pressure transducer and digital signal processor (DSP)
  - Redundant pressure transducers
    - Digital self test
- I<sup>2</sup>C compatible serial interface
  - Slave mode operation
  - Standard mode, fast mode, and fast-mode plus support
- 32-bit SPI compatible serial interface
  - Sensor data transmission commands
    - 12-bit data for absolute pressure
    - 8-bit data for temperature
    - 2-bit basic status and 2-bit detailed status fields
    - 3, 4, or 8-bit configurable CRC
- 32-bit SPI compatible serial interface for self test access, user register access and device configuration
- · Capacitance to voltage converter with anti-aliasing filter
- Sigma delta ADC plus sinc filter



### Digital Absolute Pressure Sensor, 40 to 115 kPa

- 800 Hz or 1000 Hz low-pass filter for absolute pressure
- Lead-free, 16-pin HQFN, 4 mm x 4 mm x 1.98 mm package

### **3** Applications

#### 3.1 Automotive

- · Engine management digital BAP
- Vacuum measurement
- · Comfort seating
- Small engine control
- Liquid Propane Gas (LPG) fuel management

#### 3.2 Industrial

- · Compressed air
- Manufacturing line control
- · Gas metering
- · Weather stations

#### 3.3 Medical/Consumer

- Blood pressure monitor
- Medicine dispensing systems
- White goods

### 4 Ordering information

# Table 1. Ordering information Type number Package Name Description Version FXPS7115DI4 HQFN16 HQFN16, plastic, thermal enhanced quad flatpack; no leads; 16 terminals; 0.8 mm pitch; 4 mm x 4 mm x 1.98 mm body SOT1573-1

### 4.1 Ordering options

#### Table 2. Ordering options

Device	Range [kPa]	Interface	Temperature range
FXPS7115DI4T1	40 to 115 kPa	l <sup>2</sup> C	–40 °C to 130 °C
FXPS7115DS4T1	40 to 115 kPa	SPI	–40 °C to 130 °C

FXPS7115D4 Product data sheet

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

# 5 Block diagram



## 6 **Pinning information**





FXPS7115D4 Product data sheet © NXP B.V. 2018. All rights reserved.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

### 6.2 Pin description

Table 3. Pin		Design to the second seco
Pin	Pin name	Description
3	INT	Interrupt output The output can be configured to be active low or active high. If unused, NXP recommends pin 3 be unterminated. Optionally, pin 3 can be tied to $V_{\rm SS}$ .
1, 16	V <sub>CC</sub>	Power supply
4, 15	V <sub>SS</sub>	Supply return (ground)
2, 5, 12	TESTx	Test pin NXP recommends pins 2, 5, and 12 be unterminated. Optionally, these pins can be tied to $V_{\rm SS}$
6, 7, 14	NC	No connect
8	SS_B	Slave / Device select In $I^2C$ mode, input pin 8 must be connected to $V_{CC}$ with an external pull-up resistor, as shown in the application diagram. In SPI mode, input pin 8 provides the slave select for the SPI port. An internal pull-up device is connected to this pin.
9	SCLK/SCL	In I <sup>2</sup> C mode, input pin 9 provides the serial clock. This pin must be connected to $V_{CC}$ with an external pull-up resistor, as shown in the application diagram. In SPI mode, input pin 9 provides the serial clock. An internal pull-down device is connected to this pin.
10	MOSI	SPI data in In SPI mode, pin 10 functions as the serial data input to the SPI port. An internal pull-down device is connected to this pin.
11	MISO/SDA	$\begin{array}{l} {\rm SPI/l^2C} \mbox{ data out} \\ {\rm In} \ {\rm I}^2{\rm C} \mbox{ mode, pin 11 functions as the serial data input/output.} \\ {\rm Pin 11 must be connected to V}_{\rm CC} \mbox{ with an external pull-up} \\ {\rm resistor, as shown in the application diagram.} \\ {\rm In \ SPI \ mode, pin 11 functions as the serial data output.} \end{array}$
13	V <sub>CCIO</sub>	I/O supply Pin 13 must be connected to $V_{\text{CC}},$ the device supply.
17	PAD	Die attach pad Pin 17 is the die attach flag, and must be connected to $V_{\mbox{SS}}.$

### 7 Functional description

### 7.1 Voltage regulators

The device derives its internal supply voltage from the V<sub>CC</sub> and V<sub>SS</sub> pins. An external filter capacitor is required for V<sub>CC</sub>, as shown in <u>Figure 25</u> and <u>Figure 26</u>.

The voltage regulator module includes voltage monitoring circuitry that holds the device in reset following power-on until the internal voltages have increased above the undervoltage detection thresholds. The voltage monitor asserts an internal reset when the external supply or internally regulated voltages fall below the undervoltage detection thresholds. A reference generator provides a reference voltage for the  $\Sigma\Delta$  converter.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa



#### 7.1.1 V<sub>CC</sub>, V<sub>REG</sub>, V<sub>REGA</sub>, undervoltage monitor

A circuit is incorporated to monitor the V<sub>CC</sub> supply voltage and the internally regulated voltages  $V_{REG}$  and  $V_{REGA}$ . If any of the voltages fall below the specified undervoltage thresholds in <u>Table 106</u>, SPI and I<sup>2</sup>C transactions are terminated. Once the supply returns above the threshold, the device resumes responses.

#### 7.2 Internal oscillator

The device includes a factory trimmed oscillator as specified in Table 107.

#### 7.3 Pressure sensor signal path

#### 7.3.1 Transducer

See <u>Table 106</u> and <u>Table 107</u> for transducer parameters.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.3.2 Self-test functions

The device includes analog and digital self-test functions to verify the functionality of the transducer and the signal chain. The self-test functions are selected by writing to the ST\_CTRL[3:0] bits in the DSP\_CFG\_U1 register. The ST\_CTRL bits select the desired self-test connection.

Once the ENDINIT bit is set, the ST\_CTRL bits are forced to '0000'. Future writes to the ST\_CTRL bits are disabled until a device reset.

#### 7.3.2.1 P<sub>ABS</sub> common mode verification

When the P<sub>ABS</sub> common mode self-test is selected, the ST\_ACTIVE bit is set, the ST\_ERROR is cleared and the device begins an internal measurement of the common mode signal of the P-cells and compares the result against a predetermined limit. If the result exceeds the limit, the ST\_ERROR bit is set. The P<sub>ABS</sub> common mode self-test repeats continuously every t<sub>ST\_INIT</sub> when the ST\_CTRL bits are set to the specified value. Once the test is disabled, the ST\_ERROR bit updates with the final test result within t<sub>ST\_INIT</sub> of disabling the test. The ST\_ACTIVE bit remains set until the final test result is reported. Figure 4 is an example of a user-controlled self-test procedure.

### **NXP Semiconductors**

# **FXPS7115D4**

#### Digital Absolute Pressure Sensor, 40 to 115 kPa



#### 7.3.2.2 Startup digital self-test verification

Four unique fixed values can be forced at the output of the sinc filter by writing to the ST\_CTRL bits as shown in <u>Table 4</u>. The digital self-test values result in a constant value at the output of the signal chain. After a specified period of time the SNS\_DATAx register value can be verified against the specified values in the table below. The values listed below are for the P<sub>ABS</sub> signal. When any of these self-test functions are selected, the ST\_ACTIVE bit is set. These signals can only be selected when the ENDINIT bit is not set.

### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### Table 4. Self-test control register

ST_CTRL[3]	ST_CTRL[2]	ST_CTRL[1]	ST_CTRL[0]	Function	SNS_DATAx register contents
1	1	0	0	Digital self-test #1	8171h
1	1	0	1	Digital self-test #2	6C95h
1	1	1	0	Digital self-test #3	807Ah
1	1	1	1	Digital self-test #4	78ACh

#### 7.3.2.3 Startup sense data fixed value verification

Four unique fixed values can be forced to the SNS\_DATAX\_x registers by writing to the ST\_CTRL bits as shown in <u>Table 5</u>. When any of these values are selected, the ST\_ACTIVE bit is set. These signals can only be selected when the ENDINIT bit is not set.

ST_CTRL[3]	ST_CTRL[2]	ST_CTRL[1]	ST_CTRL[0]	Function	SNS_DATAx register contents
0	1	0	0	DSP write to SNS_DATAx_X registers inhibited.	0000h
0	1	0	1	DSP write to SNS_DATAx_X registers inhibited.	AAAAh
0	1	1	0	DSP write to SNS_DATAx_X registers inhibited.	5555h
0	1	1	1	DSP write to SNS_DATAx_X registers inhibited.	FFFFh

#### Table 5. Self-test control bits for sense data fixed value verification

#### 7.3.3 $\Sigma\Delta$ converter

A second order sigma delta modulator converts the voltage from the analog front end to a data stream that is input to the DSP. A simplified block diagram is shown in <u>Figure 5</u>.



#### Digital Absolute Pressure Sensor, 40 to 115 kPa

The sigma delta modulator operates at a frequency of 1 MHz, with the transfer function in Equation 1.

$$H(Z) = \frac{\alpha_1}{Z^2} \tag{1}$$

#### 7.3.4 Digital signal processor (DSP)

A DSP is used to perform signal filtering and compensation. A diagram illustrating the signal processing flow within the DSP is shown in <u>Figure 6</u>.



#### 7.3.4.1 Decimation sinc filter

In Equation 2, the output of the  $\Sigma\Delta$  modulator is decimated and converted to a parallel value by two third-order sinc filters; the first with a decimation ratio of 24 and the second with a decimation ratio of 4.

$$H(Z) = \left(\frac{1}{24^3}\right) \times \left(\frac{1 - Z^{-24}}{1 - Z^{-1}}\right)^3 \quad H(Z) = \left(\frac{1}{4^3}\right) \times \left(\frac{1 - Z^{-4}}{1 - Z^{-1}}\right)^3 \tag{2}$$



FXPS7115D4 Product data sheet © NXP B.V. 2018. All rights reserved.

### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.3.4.2 Signal trim and compensation

The device includes digital trim to compensate for sensor offset, sensitivity, and nonlinearity over temperature.

#### 7.3.4.3 Low-pass filter

Data from the sinc filter is processed by an infinite impulse response (IIR) low-pass filter with the transfer function and coefficients shown in Equation 3.

$$H(Z) = a_0 \times \frac{(n_{11} \times z^0) + (n_{12} \times z^{-1}) + (n_{13} \times z^{-2})}{(d_{11} \times z^0) + (d_{12} \times z^{-1}) + (d_{13} \times z^{-2})} \times \frac{(n_{21} \times z^0) + (n_{22} \times z^{-1}) + (n_{23} \times z^{-2})}{(d_{21} \times z^0) + (d_{22} \times z^{-1}) + (d_{23} \times z^{-2})}$$
(3)

Filter number	Typical –3 dB frequency	Filter order		Filter coeffic	ients (2	4 bit)	Group delay (µs)	Typical attenuation @ 1000 Hz (dB)
1	800 Hz	4	a <sub>0</sub>	0.088642612609670		_	418	4.95
			n <sub>11</sub>	0.029638050039039	d <sub>11</sub>	1		
			n <sub>12</sub>	0.059333280736160	d <sub>12</sub>	-1.422792 640957290		
			n <sub>13</sub>	0.029695285913601	d <sub>13</sub>	0.511435253566960		
			n <sub>21</sub>	0.250241278804809	d <sub>21</sub>	1		
			n <sub>22</sub>	0.499999767379068	d <sub>22</sub>	-1.503329 908017845		
			n <sub>23</sub>	0.249758953816089	d <sub>23</sub>	0.621996524706640		
2	1000 Hz	4	a <sub>0</sub>	0.129604264748411	_	_	333	2.99
			n <sub>11</sub>	0.043719804402508	d <sub>11</sub>	1		
			n <sub>12</sub>	0.087543281056143	d12	-1.300502 656562698		
			n <sub>13</sub>	0.043823599710731	d <sub>13</sub>	0.430106921311110		
			n <sub>21</sub>	0.250296586927511	d <sub>21</sub>	1		
			n <sub>22</sub>	0.499999648540934	d <sub>22</sub>	-1.379959 571988366		
			n <sub>23</sub>	0.249703764531484	d <sub>23</sub>	0.555046257157745		

#### Table 6. IIR low pass filter coefficients

### **NXP Semiconductors**

# **FXPS7115D4**

### Digital Absolute Pressure Sensor, 40 to 115 kPa





### **NXP Semiconductors**

# **FXPS7115D4**

#### Digital Absolute Pressure Sensor, 40 to 115 kPa





#### 7.3.4.4 Absolute pressure output data scaling equation

Equation 4 is used to convert absolute pressure readings with the variables as specified in the tables below. Note, the specified values apply only if the P\_CAL\_ZERO value is set to 0000h.

$$PABS_{kPa} = \frac{PABS_{LSB} - 2(PABSOFF_{LSB})}{PABS_{SENSE}}$$
(4)

Where:

 $PABS_{kPa}$  = The absolute pressure output in kPa  $PABS_{LSB}$  = The absolute pressure output in LSB

FXPS7115D4 Product data sheet © NXP B.V. 2018. All rights reserved.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

 $PABSOFF_{LSB}$  = The internal trimmed absolute pressure output value at 0 kPa in LSB  $PABS_{SENSE}$  = The trimmed absolute pressure sensitivity in LSB/kPa

Range	Data reading	PABSOff <sub>LSB</sub> (LSB)	PABS <sub>SENSE</sub> (LSB/kPa)
40 - 115 kPa	12-bit register read	299	46.64
	Interrupt threshold registers	299	46.64
	P-zero calibration registers	0	46.64

#### 7.3.5 Temperature sensor

#### 7.3.5.1 Temperature sensor signal chain

The device includes a temperature sensor for signal compensation and user readability. Figure 12 shows a simplified block diagram. Temperature sensor parameters are specified in <u>Table 106</u> and <u>Table 107</u>.



Figure 12. Temperature sensor signal chain block diagram

#### 7.3.5.2 Temperature sensor output scaling equation

Equation 5 is used to convert temperature readings with the variables specified in Table 7.

$$T_{DEGC} = \frac{T_{LSB} - TO_{LSB}}{T_{SENSE}}$$
(5)

where:

T<sub>DEGC</sub> = The temperature output in degrees C

T<sub>LSB</sub> = The temperature output in LSB

T0<sub>LSB</sub> = The expected temperature output in LSB at 0 °C

T<sub>SENSE</sub> = The expected temperature sensitivity in LSB/°C

#### Table 7. Temperature conversion variables

Data reading	T0 <sub>LSB</sub> (LSB)	T <sub>SENSE</sub> LSB/C)
8-bit register read	68	1

#### 7.3.6 Common mode error detection signal chain

The device includes a continuous pressure transducer common mode error detection. A simplified block diagram is shown in the Figure 13. The common mode error signal is compared against the normal absolute pressure signal. If the comparison falls outside of pre-determined limits, the CM\_ERROR bit in the DSP\_STAT register is set. Once the error condition is removed, the CM\_ERROR bit is cleared as specified in Section 7.7.16 "DSP\_STAT - DSP specific status register (address 60h)".

#### Digital Absolute Pressure Sensor, 40 to 115 kPa



#### Figure 13. Common mode error detection signal chain block diagram

### 7.4 Inter-integrated circuit (l<sup>2</sup>C) interface

The device includes an interface compliant to the NXP I<sup>2</sup>C-bus specification<sup>[3]</sup>. The device operates in slave mode and includes support for standard mode, fast mode and fast mode plus, although the maximum practical operating frequency for I<sup>2</sup>C in a given system implementation depends on several factors including the pull-up resistor values and the total bus capacitance.

### 7.4.1 I<sup>2</sup>C bit transmissions

The state of SDA when SCL is high determines the bit value being transmitted. SDA must be stable when SCL is high and change when SCL is low as shown in Figure 14. After the START signal has been transmitted by the master, the bus is considered busy. Timing for the start condition is specified in Table 107.



### 7.4.2 $I^2C$ start condition

A bus operation is always started with a start condition (START) from the master. A START is defined as a high to low transition on SDA while SCL is high as shown in <u>Figure 15</u>. After the START signal has been transmitted by the master, the bus is considered busy. Timing for the start condition is specified in <u>Table 107</u>.

A start condition (START) and a repeat START condition (rSTART) are identical.



#### Digital Absolute Pressure Sensor, 40 to 115 kPa

### 7.4.3 I<sup>2</sup>C byte transmission

Data transfers are completed in byte increments. The number of bytes that can be transmitted per transfer is unrestricted. Each byte must be followed by an acknowledge bit (Section 7.4.4 "I2C acknowledge and not acknowledge transmissions") from the receiver. Data is transferred with the most significant bit (MSB) first (see Figure 16). The master generates all clock pulses, including the ninth clock for the acknowledge bit. Timing for the byte transmissions is specified in Section 7.4.4 "I2C acknowledge and not acknowledge transmissions". All functions for this device are completed within the acknowledge clock pulse. Clock stretching is not used.



### 7.4.4 I<sup>2</sup>C acknowledge and not acknowledge transmissions

Each byte must be followed by an acknowledge bit (ACK) from the receiver. For an ACK, the transmitter releases SDA during the acknowledge clock pulse and the receiver pulls SDA low during the high portion of the clock pulse. Set up and hold times as specified in Table 107 must also be taken into account.

For a not acknowledge bit (NACK), SDA remains high during the entire acknowledge clock pulse. Five conditions lead to a NACK:

- 1. No receiver is present on the bus with the transmitted address.
- 2. The addressed receiver is unable to receive or transmit because it is performing some real-time function and is not ready to start communication with the master.
- 3. The receiver receives unrecognized data or commands.
- 4. The receiver cannot receive any more data bytes.
- 5. The master-receiver signals the end of the transfer to the slave transmitter.

Following a NACK, the master can transmit either a STOP to terminate the transfer, or a repeated START to initiate a new transfer.

An example ACK and NACK are shown in Figure 17.

### **NXP Semiconductors**

# **FXPS7115D4**

Digital Absolute Pressure Sensor, 40 to 115 kPa



### 7.4.5 I<sup>2</sup>C stop condition

A bus operation is always terminated with a stop condition (STOP) from the master. A STOP is defined as a low to high transition on SDA while SCL is high as shown in <u>Figure 18</u>. After the STOP has been transmitted by the master, the bus is considered free. Timing for the stop condition is specified in <u>Table 107</u>.



### 7.4.6 I<sup>2</sup>C register transfers

#### 7.4.6.1 Register write transfers

The device supports I<sup>2</sup>C register write data transfers. Register write data transfers are constructed as follows:

- 1. The master transmits a START condition.
- 2. The master transmits the 7-bit slave address.
- 3. The master transmits a '0' for the read/write bit to indicate a write operation.
- 4. The slave transmits an ACK.
- 5. The master transmits the register address to be written.
- 6. The slave transmits an ACK.
- 7. The master transmits the data byte to be written to the register address.
- 8. The slave transmits an ACK.
- 9. The master transmits a STOP condition.

s	SLAVE ADDRESS	w	A	REGISTER ADDRESS	А	REGISTER DATA	А	Ρ
Ma	aster transmission							
Sla	ave transmission						a	aa-029920

© NXP B.V. 2018. All rights reserved

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

The device automatically increments the register address allowing for multiple register writes to be completed in one transaction. In this case, the register write data transfers are constructed as follows:

- 1. The master transmits a START condition.
- 2. The master transmits the 7-bit slave address.
- 3. The master transmits a '0' for the read/write bit to indicate a write operation.
- 4. The slave transmits an ACK.
- 5. The master transmits the register address to be written.
- 6. The slave transmits an ACK.
- 7. The master transmits the data byte to be written to the register address.
- 8. The slave transmits an ACK.
- 9. The master transmits the data byte to be written to the register address +1.
- 10. The slave transmits an ACK.
- 11.Repeat steps 9 and 10 until all registers are written.
- 12. The master transmits a STOP condition.

#### 7.4.6.2 Register read transfers

The device supports I<sup>2</sup>C register read data transfers. Register read data transfers are constructed as follows:

- 1. The master transmits a START condition.
- 2. The master transmits the 7-bit slave address.
- 3. The master transmits a '0' for the read/write bit to indicate a write operation.
- 4. The slave transmits an ACK.
- 5. The master transmits the register address to be read.
- 6. The slave transmits an ACK.
- 7. The master transmits a repeat START condition.
- 8. The master transmits the 7-bit slave address.
- 9. The master transmits a '1' for the read/write bit to indicate a read operation.
- 10. The slave transmits an ACK.
- 11. The slave transmits the data from the register addressed.
- 12. The master transmits a NACK.
- 13. The master transmits a STOP condition.

s	SLAVE ADDRESS	W	А	REGISTER ADDRESS	А	rSTART	SLAVE ADDRESS	R	A	REGISTER DATA	N	Ρ
M	Master transmission											
5	Slave transmission										ē	aa-029919

#### 7.4.6.3 Sensor data register read wrap around

The device includes automatic sensor data register read wrap-around features to optimize the number of  $I^2C$  transactions necessary for continuous reads of sensor data. Depending on the state of the SIDx\_EN bits in the SOURCEID\_0 and SOURCEID\_1 registers, the register address automatically wraps back to the DEVSTAT\_COPY register as shown in Table 8.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

	<u> </u>	tor roud map around accomption	
SID1_EN	SID0_EN	Address increment and wrap-around effect	Optimized register-read sequence
0	0	Address wraps around from \$FF to \$00	None
0	1	Address wraps from \$63 (SNSDATA0_H) to \$61 (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H
1	0	Address wraps from \$65 (SNSDATA1_H) to \$61 (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H, SNSDATA1_L, SNSDATA1_H
1	1	Address wraps from \$69 (SNSDATA0_TIME3) to \$61 (DEVSTAT_COPY)	DEVSTAT_COPY, SNSDATA0_L, SNSDATA0_H, SNSDATA1_L, SNSDATA1_ H, SNSDATA0_TIME0, SNSDATA0_TIME1, SNSDATA0_TIME2, SNSDATA0_TIME3

#### Table 8. Sensor data register read wrap-around description

# 7.4.7 I<sup>2</sup>C timing diagram



### 7.5 Standard 32-bit SPI protocol

The device includes a standard SPI protocol requiring 32-bit data packets. The device is a slave device requires that the base clock value be low (CPOL = 0) with data captured on the rising edge of the clock and data propagated on the falling edge of the clock (CPHA = 0). The most significant bit is transferred first (MSB first). SPI transfers are completed through a sequence of two phases. During the first phase, the command is transmitted from the SPI master to the device. During the second phase, response data is transmitted from the slave device. MOSI and SCLK transitions are ignored when SS\_B is not asserted.

Digital Absolute Pressure Sensor, 40 to 115 kPa



### 7.5.1 SPI command format

#### Table 9. SPI command format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
													Reg	giste	r acces	s co	mma	and													
C	Comi	man	d	-	ixed nust					Re	gist	er a	ddre	ss				Re	gist	er d	ata					8	3-bit	CR	C		
	C[3	3:0]		0	0	0	0			R	A[7:	1]			RA[0]		RD[7:0]							CRC[7:0]							
													S	ense	or data	com	man	d													
C	Com	man	d					Fixed bits: must = 0 0000h 8-bit CRC											Fixed bits: must = 0 0000h												
	C[3	3:0]		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				CRC	[7:0	]		

### Digital Absolute Pressure Sensor, 40 to 115 kPa

	<b>C[</b> 3	<b>3:0]</b>		Command type	Data source SOURCEID[2:0] = C[3:1]	Reference
0	0	0	0	Unused Command (reserved for error response)	Not applicable	Not applicable
0	0	0	1	Sensor Data Request	SOURCEID = 0h	
0	0	1	0	reserved Command	Not applicable	Not applicable
0	0	1	1	Sensor Data Request	SOURCEID = 1h	
0	1	0	0	reserved Command	Not applicable	Not applicable
0	1	0	1	Sensor Data Request	SOURCEID = 2h	
0	1	1	0	reserved Command	Not applicable	Not applicable
0	1	1	1	Sensor Data Request	SOURCEID = 3h	
1	0	0	0	Register Write Request	Not applicable	
1	0	0	1	Sensor Data Request	SOURCEID = 4h	
1	0	1	0	reserved Command	Not applicable	Not applicable
1	0	1	1	Sensor Data Request	SOURCEID = 5h	
1	1	0	0	Register Read Request	Not applicable	
1	1	0	1	Sensor Data Request	SOURCEID = 6h	
1	1	1	0	Reserved Command	Not applicable	Not applicable
1	1	1	1	Sensor Data Request	SOURCEID = 7h	

#### Table 10. SPI command bit allocation

Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.5.2 SPI response format

#### Table 11. SPI response format

MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
											F	Resp	onse	e to I	Regi	ster	Requ	est				_			_						
	Com	mand		Ba Sta	sic Itus	Unu Da 0	ta						onter h byt								cont w by						8-bit	t CRC	;		
	C[0],	[3:1]		ST[	1:0]	0	0				RD[1	5:8]							RD[	7:0	]						CRO	C[7:0]			
											Re	spo	nse t	o Se	nso	r Dat	a Rec	lues	t												
	Com	mand			sic tus							S	enso	r Da	ta								etail atus				8-bit	t CRC	;		
	C[0],	[3:1]	-	ST[	1:0]						SD[1	1:0]						0	0	0	0	SF	[1:0]				CRO	C[7:0]			
		Error Response to Register Request Command Basic Unused Data = 0000h																													
	Com	mand			sic tus						ıU	nuse	ed Da	ita =	000	Dh							etail atus				8-bit	t CRC	;		
	C[0],	[3:1]	-	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SF	[1:0]				CRO	C[7:0]			
								E	rror	Resp	ons	e to	Sens	sor E	Data	Requ	uest V	Vith	Sen	sor	Data	ı İ									
	Com	mand			sic tus							S	enso	r Da	ta								etail atus				8-bit	t CRC	;		
C[0]	C[3]	C[2]	C[1]	1	1						SD[1	1:0]						0	0	0	0	SF	[1:0]				CRO	C[7:0]			
								Eri	ror R	espo	nse	to S	enso	or Da	ta R	eque	st W	thou	ut Se	nse	or Da	ta									
	Com	mand		Ba Sta	sic tus	x						Unu	ised	Data	= 00	000h							etail atus				8-bit	t CRC	;		
0	0	0	0	1	1	х	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	SF	[1:0]				CRO	C[7:0]			

#### 7.5.3 Command summary

#### 7.5.3.1 Register read command

The device supports a register read command. The register read command uses the upper 7 bits of the addresses defined in <u>Section 7.6 "User-accessible data array"</u> to address 8-bit registers in the register map.

The response to a register read command is shown in <u>Section 7.5.3.1.2 "Register read</u> response message format". The response is transmitted on the next SPI message if and only if all of the following conditions are met:

- No SPI error is detected (see Section 7.5.5.3 "SPI error")
- No MISO error is detected (see Section 7.5.5.4 "SPI data output verification error")

If these conditions are met, the device responds to the register read request as shown in <u>Section 7.5.3.1.2</u> "Register read response message format". Otherwise, the device responds with the error response as defined in <u>Section 7.5.5.2</u> "Error responses". The register read response includes the register contents at the rising edge of SS\_B for the register read command.

### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.5.3.1.1 Register read command message format

#### Table 12. Register read command message format

MSB: bit 31; LSB: bit 0

								16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0							
		Register access command																													
C	C[3	man 3:0]	d		ixed nust					Re	giste	er ad	ddre	SS				Re	gist	er d	ata					8	-bit	CR	C		
1	1	0	0	0	0	0	0			R	A[7:′	1]			RA[0]	0	0	0	0	0	0	0	0			(	CRC	[7:0	]		

#### Table 13. Register read command message bit field descriptions

Bit field	Definition
C[3:0]	Register read command = '1100'
RA[7:0]	RA[7:1] contains the word address of the register to be read.
CRC[7:0]	Read CRC Section

#### 7.5.3.1.2 Register read response message format

#### Table 14. Register read response message format

MSB: bit 31; LSB: bit 0

31 30 29 28	27 26	25 2	4 23	22	21 20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
						Re	egiste	er ac	cess	s cor	nma	nd													
<b>Command</b> C[0], [3:1]	Basic Status	Unuse Data 0h	-		ister da RA[7:1										onte v byt					8	-bit	CRO	;		
0 1 1 0	ST[1:0]	0 0	)		RD	[15:8]	]						RD[	7:0]						(	CRC	[7:0]			

#### Table 15. Register read response message bit field descriptions

Bit field	Definition
C[0], [3:1]	Register Read Command = '0110'
ST[1:0]	Status
RD[15:8]	The contents of the register addressed by RA[7:1] high byte (RA[0] = 1)
RD[7:0]	The contents of the register addressed by RA[7:1] low byte (RA[0] = 0)
CRC[7:0]	8-bit CRC

#### 7.5.3.2 Register write command

The device supports a register write command. The register write command writes the value specified in RD[7:0] to the register addressed by RA[7:0].

The response to a register write command is shown in <u>Section 7.5.3.2.2 "Register write</u> <u>response message format"</u>. The register write is executed and a response is transmitted on the next SPI message if and only if all of the following conditions are met:

- No SPI error is detected (see <u>Section 7.5.5.3 "SPI error"</u>)
- No MISO error is detected (see Section 7.5.5.4 "SPI data output verification error")

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

- The ENDINIT bit is cleared
  - This applies to all registers with the exception of the RESET[1:0] bits in the DEVLOCK WR register
- No invalid register request is detected as described below

If these conditions are met, the register write is executed and the device responds to the register write request as shown in <u>Section 7.5.3.2.2</u> "Register write response message format". Otherwise, no register is written and the device responds with the error response as defined in <u>Section 7.5.2</u> "SPI response format". The register is not written until the transfer during which the register write was requested has been completed.

A register write command to a read-only register will not execute, but will result in a valid response.

#### 7.5.3.2.1 Register write command message format

# Table 16. Register write command message format MSB: bit 31: LSB: bit 0

	Command Fixed bits: Register address																	Re	gist	er da	ata					8	-bit	CRO	:		
													Re	giste	er acces	s cor	nma	nd													
31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0

(	Comi C[3	man 3:0]	d	Fixed bits: must = 0h				Register address		Register data	8-bit CRC
1	0	0	0	0	0	0	0	RA[7:1]	RA[0]	RD[7:0]	CRC[7:0]

#### Table 17. Register write command message bit field descriptions

•	
Bit field	Definition
C[3:0]	Register write command = '1000'
RA[7:0]	RA[7:1] contains the byte address of the register to be written
RD[7:0]	RD[7:0] contains the data byte to be written to address RA[7:0]
CRC[7:0]	8-bit CRC

#### 7.5.3.2.2 Register write response message format

### Table 18. Register write response message format

#### MSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2 1	0
		Regis mmand Basic Unused Register data: cont													cces	s co	mma	and												
		<b>man</b> , [3:1		Ba: Sta		ised ata h			ister RA[7										ta: c ] lov						8	8-bit	CRO	;		
0	1	0	0	ST	1:0]	0	0			F	RD[1	5:8]							RD[	7:0]							CRC	[7:0]	]	

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

 Table 19. Register write response message bit field descriptions

Bit field	Definition
C[0], [3:1]	Register Read Command = '0100'
ST[1:0]	Status
RD[15:8]	The contents of the register addressed by RA[7:1] high byte (RA[0] = 1)
RD[7:0]	The contents of the register addressed by RA[7:1] low byte (RA[0] = 0)
CRC[7:0]	8-bit CRC

#### 7.5.3.3 Sensor data request commands

The device supports standard sensor data request commands. The sensor data request command format is described in <u>Section 7.5.3.3.1</u> "Sensor data request command <u>message format</u>". The response to a sensor data request is shown in <u>Section 7.5.3.3.2</u> "<u>Sensor data request response message format</u>". The response is transmitted on the next SPI message subject to the error handling conditions specified in <u>Section 7.5.5</u> "<u>Exception handling</u>". The sensor data included in the response is the sensor data at the falling edge of SS\_B for the sensor data request response.

#### 7.5.3.3.1 Sensor data request command message format

Table 20.	Sensor data request command message format	
MSB: bit 3	1; LSB: bit 0	

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
С	omi	man	d							Fi	xed	bits	s: m	ust	= 0	000	0h									8	-bit	CR	С		
	C[3:0]				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			C	CRC	[7:0	]		

#### Table 21. Sensor data request command message bit field descriptions

Bit field	Definition
C[0]	Sensor data request command = '1'
C[3:1] = SOURCEID[2:0]	Source identification code for the requested sensor data
CRC[7:0]	8-bit CRC

#### 7.5.3.3.2 Sensor data request response message format

# Table 22. Sensor data request response message formatMSB: bit 31; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
(	Com	man	d	Ba Sta			Sensor Data							Detail 8-bit Status					-bit	CRO	5										
	C[0],	[3:1	]	ST[	1:0]						SD[1	11:0]	]					0	0	0	0	SF[	1:0]			(	CRC	[7:0]	]		

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

 Table 23. Sensor data request response message bit field descriptions

Bit field	Definition
C[0]	Sensor data request command = '1'
C[3:1] = SOURCEID[2:0]	Source identification code for the requested sensor data
ST[1:0]	Basic Status
SD[11:0]	Sensor data
SF[1:0]	Detailed status
CRC[7:0]	8-bit CRC

#### 7.5.3.4 Reserved commands

The device responds to reserved commands on the next SPI message subject to the error handling conditions specified in <u>Section 7.5.5 "Exception handling"</u>.

#### 7.5.3.4.1 Reserved command message format

#### Table 24. Reserved command message format

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2 1	0
С	omr	man	d	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			8	-bit	CRO	2	
0	0	0	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]		
0	0	1	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]	]	
0	1	0	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]		
0	1	1	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]		
1	0	1	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]		
1	1	1	0	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	CRC	[7:0]	]	

#### Table 25. Reserved command message bit field descriptions

Bit field	Definition
C[3:0]	Reserved command
CRC[7:0]	8-bit CRC

#### 7.5.3.4.2 Reserved command response message format

# Table 26. Reserved command response message format MSB: bit 15; LSB: bit 0

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
С	Command Data Echo											8-bit CRC																			
х	x	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х			C	RC	[7:0	]		

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Table 27. Reserved command response message bit field descriptions

Bit field	Definition
Command echo	Reserved command echo. Undefined
Data	Response data. Undefined
CRC[7:0]	8-bit CRC

#### 7.5.4 Error checking

#### 7.5.4.1 Default 8-bit CRC

#### 7.5.4.1.1 Command error checking

The device calculates an 8-bit CRC on the entire 32 bits of each command. Message data is entered into the CRC calculator MSB first, consistent with the transmission order of the message. If the calculated CRC does not match the transmitted CRC, the command is ignored and the device responds with the SPI error response.

The CRC decoding procedure is as follows:

- 1. A seed value is preset into the LSB of the shift register.
- 2. Using a serial CRC calculation method, the receiver rotates the received message and CRC into the LSB of the shift register in the order received (MSB first).
- 3. When the calculation on the last bit of the CRC is rotated into the shift register, the shift register contains the CRC check result.
- 4. If the shift register contains all zeros, the CRC is correct.
- 5. If the shift register contains a value other than zero, the CRC is incorrect.

The CRC polynomial and seed are shown in <u>Table 28</u>.

#### Table 28. SPI Command Message CRC

SPICRCSEED[3:0]	Default Polynomial	Default non-direct Seed
0000	$x^{8}$ + $x^{5}$ + $x^{3}$ + $x^{2}$ + x + 1	1111 1111
non-zero	$x^{8}$ + $x^{5}$ + $x^{3}$ + $x^{2}$ + x + 1	1111 SPICRCSEED[3:0]

#### 7.5.4.1.2 Response error checking

The device calculates a CRC on the entire 32 bits of each response. Message data is entered into the CRC calculator MSB first, consistent with the transmission order of the message.

The CRC encoding procedure is as follows:

- 1. A seed value is preset into the LSB of the shift register.
- 2. Using a serial CRC calculation method, the transmitter rotates the transmitted message and CRC into the LSB of the shift register (MSB first).
- 3. Following the transmitted message, the transmitter feeds 8 zeros into the shift register, to match the length of the CRC.
- 4. When the last zero is fed into the input adder, the shift register contains the CRC.
- 5. The CRC is transmitted.

The CRC polynomial and seed are shown in <u>Table 29</u>.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### Table 29. SPI Response Message CRC

SPICRCSEED[3:0]	Default Polynomial	Default non-direct Seed
0000	$x^{8}$ + $x^{5}$ + $x^{3}$ + $x^{2}$ + x + 1	1111 1111
nonzero	$x^{8}$ + $x^{5}$ + $x^{3}$ + $x^{2}$ + x + 1	1111 SPICRCSEED[3:0]

#### 7.5.5 Exception handling

#### 7.5.5.1 Basic status field

All responses include a status field (ST[1:0]) that includes the general status of the device and transmitted data as described below. The contents of the status field is a representation of the device status at the rising edge of SS\_B for the previous SPI command.

#### Table 30. Basic status field for responses to register commands

ST[	1:0]	Status	Description	SF[1:0	)]	Priority
0	0	Device in Initialization	Device in initialization (ENDINIT not set)	0	0	3
0	1	Normal Mode	Normal mode(ENDINIT set)	0	0	4
1	0	Self-test	Self-test(ST_CTRL[3:0] not equal to '0000')	0	0	2
1	1	Internal Error Present	Detailed Status Field	Detaile Status Field		1

#### 7.5.5.2 Error responses

#### Table 31. Error responses bit field descriptions

SF[1:0]		Status Sources	DEVSTAT State
0	0	Oscillator training error (OSCTRAIN_ ERR) Offset error (PABS_HIGH or PABS_ LOW or CM_ERROR) Temperature error	Bit set in DEVSTAT3 Bit set in DSP_STAT Bit set in DEVSTAT2
0	1	User OTP memory error (UF2 or UF1) User R/W memory error (UF2) NXP OTP Memory error	U_OTP_ERR set in DEVSTAT2 U_RW_ERR set in DEVSTAT2 F_OTP_ERR set in DEVSTAT2
1	0	Test Mode active Supply error Reset error	TESTMODE bit set in DEVSTAT bit set in DEVSTAT1 DEVRES set
1	1	MISO error SPI error	Bit set in DEVSTAT3 N/A

#### 7.5.5.3 SPI error

The following external SPI conditions result in a SPI error:

- SCLK is high when SS\_B is asserted
- The number of SCLK rising edges detected while SS\_B is asserted is not equal to 16
- SCLK is high when SS\_B is deasserted

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

- CRC error is detected (MOSI)
- A register write command to any register other than the DEVLOCK\_WR register is received while ENDINIT is set

If a SPI error is detected, the device responds with the error response as described in <u>Section 7.5.5.2 "Error responses"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u>.

#### 7.5.5.4 SPI data output verification error

The device includes a function to verify the integrity of the data output to the MISO pin. The function compares the data transmitted on the MISO pin to the data intended to be transmitted. If any one bit doesn't match, a SPI MISO mismatch fault is detected and the MISO\_ERR flag in the DEVSTAT2 register is set.

If a valid sensor data request message is received during the SPI transfer with the MISO mismatch failure, the request is ignored and the device responds with the error response as described in <u>Section 7.5.5.2 "Error responses"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u> during the subsequent SPI message.

If a valid register write request message is received during the SPI transfer with the MISO mismatch failure, the register write is completed as requested, but the device responds with the error response as described in <u>Section 7.5.5.2 "Error responses"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u> during the subsequent SPI message.

If a valid register read request message is received during the SPI transfer with the MISO mismatch failure, the register read is ignored and the device responds with the error response as described in <u>Section 7.5.5.2 "Error responses"</u> with the detailed status field set to "SPI Error" as defined in <u>Section 7.5.5.1 "Basic status field"</u>, during the subsequent SPI message.



Digital Absolute Pressure Sensor, 40 to 115 kPa



### 7.5.6 SPI timing diagram

### 7.6 User-accessible data array

A user-accessible data array allows each device to be customized. The array consists of a one time programmable (OTP) factory-programmable block, an OTP user-programmable block, and read-only registers for data and device status. The OTP blocks incorporate independent data verification.

#### Table 32. User-accessible data — sensor specific information

Address	Register	Туре	[1]			В	it			
			7	6	5	4	3	2	1	0
General c	device information			·						-
\$00	COUNT	R				COUN	IT[7:0]			
\$01	DEVSTAT	R	DSP_ERR	reserved	COMM_ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TESTMODE	DEVRES	DEVINIT
\$02	DEVSTAT1	R	VCCUV_ ERR	reserved	VCCOV_ ERR	reserved	INTREGA_ ERR	INTREG_ ERR	INTREGF_ ERR	CONT_ERR
\$03	DEVSTAT2	R	F_OTP_ERR	U_OTP_ ERR	U_RW_ERR	U_W_ ACTIVE	reserved	TEMP0_ ERR	reserved	reserved
\$04	DEVSTAT3	R	MISO_ERR	OSCTRAIN_ ERR	reserved	reserved	reserved	reserved	reserved	reserved
\$05	reserved	R				rese	rved			,
\$06 to \$0D	reserved	R		reserved						
\$0E	TEMPERATURE	R				TEM	P[7:0]			
\$0F	reserved	R				rese	rved			

### **NXP Semiconductors**

# FXPS7115D4

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Address	Register	Type <sup>[1</sup>	1			B	it			
			7	6	5	4	3	2	1	0
Communi	ication information			-						
\$10	DEVLOCK_WR	R/W	ENDINIT	reserved	reserved	reserved	SUP_ ERR_DIS	reserved	RESE	T[1:0]
\$11 to \$13	reserved	R/W				rese	rved			
\$14	UF_REGION_W	R/W		REGION_	LOAD[3:0]		0	0	0	0
\$15	UF_REGION_R	R		REGION_A	ACTIVE[3:0]		0	0	0	0
\$16	COMMTYPE	UF2	reserved	reserved	reserved	reserved	reserved	(	COMMTYPE[2:	0]
\$17 to \$19	reserved	UF2			reserved					
\$1A	SOURCEID_0	UF2	SID0_EN		reserved			SOURCE	EID_0[3:0]	
\$1B	SOURCEID_1	UF2	SID1_EN		reserved			SOURCE	EID_1[3:0]	
\$1C to \$21	reserved	UF2		1	reserved					
\$22	TIMING_CFG	UF2		reserved		OSCTRAIN_ SEL	CK_CAL_ RST	reserved	reserved	CK_CAL_EN
\$23 to \$3C	reserved	UF2		reserved						
\$3D	SPI_CFG	UF2	reserved	DATASIZE	SPI_CRC	_LEN[1:0]		SPICRC	SEED[3:0]	
\$3E	WHO_AM_I	UF2		WHO_AM_I[7:0]						
\$3F	I2C_ADDRESS	UF2				I2C_ADDI	RESS[7:0]			
Sensor sp	pecific information									
\$40	DSP_CFG_U1	UF2		LPF	[3:0]		reserved	reserved	USER_R	ANGE[1:0]
\$41	DSP_CFG_U2	UF2				rese	rved			
\$42	DSP_CFG_U3	UF2				rese	rved			-
\$43	DSP_CFG_U4	UF2	reserved	reserved	reserved	reserved	A_OUT	INT_OUT	reserved	reserved
\$44	DSP_CFG_U5	UF2		ST_CT	RL[3:0]		reserved	reserved	reserved	reserved
\$45	INT_CFG	UF2	rese	erved	INT_F	PS[1:0]	INT_ POLARITY		reserved	1
\$46	P_INT_HI_L	UF2				P_INT_H	HL_[7:0]			
\$47	P_INT_HI_H	UF2				P_INT_H	H_H[7:0]			
\$48	P_INT_LO_L	UF2				P_INT_L	O_L[15:8]			-
\$49	P_INT_LO_H	UF2				P_INT_L	O_H[7:0]			
\$4A	reserved	UF2				rese	rved			
\$4B	reserved	UF2				rese	rved			-
\$4C	P_CAL_ZERO_L	UF2				P_CAL_ZE	ERO_L[7:0]			
\$4D	P_CAL_ZERO_H	UF2				P_CAL_ZE	RO_H[15:8]			
\$4E	reserved	UF2				rese	rved			
\$4F to \$5E	reserved	UF2				rese	rved			
\$5F	CRC_UF2	F	LOCK_UF2	0	0	0		CRC_l	JF2[3:0]	
\$60	DSP_STAT	R	reserved	PABS_HIGH	PABS_LOW	reserved	ST_ INCMPLT	ST_ACTIVE	CM_ERROR	ST_ERROR
\$61	DEVSTAT_ COPY	R	DSP_ERR	reserved	COMM_ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TESTMODE	DEVRES	DEVINT
\$62	SNSDATA0_L	R				SNSDAT	A0_L[7:0]			
\$63	SNSDATA0_H	R				SNSDATA	0_H[15:8]			
\$64	SNSDATA1_L	R				SNSDAT	A1_L[7:0]			-
				SNSDATA1_L[7:0] SNSDATA1_H[15:8]						

FXPS7115D4

Product data sheet

© NXP B.V. 2018. All rights reserved.

### **NXP Semiconductors**

# **FXPS7115D4**

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Address	Register	Type <sup>[</sup>	.11			В	it				
			7	6	5	4	3	2	1	0	
\$66	SNSDATA0_ TIME0	R				SNSDATA	_TIME[7:0]				
\$67	SNSDATA0_ TIME1	R		SNSDATA0_TIME[15:8]							
\$68	SNSDATA0_ TIME2	R				SNSDATA0_	TIME[23:16]				
\$69	SNSDATA0_ TIME3	R		SNSDATA0_TIME[31:24]							
\$6A	SNSDATA0_ TIME4	R		SNSDATA0_TIME[39:32]							
\$6B	SNSDATA0_ TIME5	R				SNSDATA0	TIME[47:40]				
\$6C	P_MAX_L	R				P_MA	X[7:0]			-	
\$6D	P_MAX_H	R				P_MAX					
\$6E	P_MIN_L	R				 P_MI					
\$6F	P_MIN_H	R				P_MIN					
\$70 to \$77	reserved	R				rese					
\$78	FRT0	R				FRT	[7:0]				
\$79	FRT1	R				FRT[					
\$7A	FRT2	R				FRT[2	-				
\$7B	FRT3	R				FRT[	31:24]			-	
\$7C	FRT4	R				FRT[	39:32]			-	
\$7D	FRT5	R		FRT[47:40]							
\$7E to	reserved	R				reserved					
\$9F											
• •	pecific Information	n - User	Readable Reg	isters with O1	P						
\$9F <b>Sensor S</b> \$A0	pecific Information	n - User F	Readable Reg				reserved	reserved	reserved	reserved	
Sensor S	pecific Information DSP_CFG_F reserved		Readable Reg		<b>P</b> NGE[3:0]	rese		reserved	reserved	reserved	
Sensor S \$A0 \$A1 to \$AE	DSP_CFG_F	F		DEV_RA					reserved	reserved	
Sensor S \$A0 \$A1 to	DSP_CFG_F reserved	F F	Readable Reg	DEV_RA	NGE[3:0]		rved			reserved	
Sensor S \$A0 \$A1 to \$AE \$AF \$B0 to	DSP_CFG_F reserved CRC_F_A	F F F		DEV_RA	NGE[3:0]	2:0] rese	rved	CRC_I		reserved	
Sensor S \$A0 \$A1 to \$AE \$AF \$B0 to \$BE \$BF	DSP_CFG_F reserved CRC_F_A reserved	F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese	rved	CRC_I	F_A[3:0]	reserved	
Sensor S \$A0 \$A1 to \$AE \$AF \$B0 to \$BE \$BF Traceabil	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B	F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese	rved	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AE           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$CO	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information	F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0]	rved rved EID[7:0]	CRC_I	F_A[3:0]	reservec	
Sensor S \$A0 \$A1 to \$AE \$AF \$B0 to \$BE \$BF	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID	F F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE	rved rved EID[7:0] ID[7:0]	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AE           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$C0           \$C1	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID	F F F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV	rved rved EID[7:0] ID[7:0]	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AE           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICMFGID	F F F F F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG	rved rved EID[7:0] ID[7:0] iD[7:0] rved	CRC_I	F_A[3:0]	reservec	
Sensor S           \$A0           \$A1 to           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved	F F F F F F F F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG rese	rved rved EID[7:0] ID[7:0] rved [7:0]	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4           \$C5	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICREG rese PN0	rved rved EID[7:0] ID[7:0] ID[7:0] rved [7:0] [7:0]	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AF           \$Bb to           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4           \$C5           \$C6	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0 PN1	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG rese PN0 PN1	rved rved EID[7:0] ID[7:0] ID[7:0] rved [7:0] [7:0] 7:0]	CRC_I	F_A[3:0]	reserved	
Sensor S           \$A0           \$A1 to           \$AF           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4           \$C5           \$C6           \$C7	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0 PN1 SN0	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG rese PN0 PN1 SN[	rved rved EID[7:0] ID[7:0] rved [7:0] [7:0] 7:0] 15:8]	CRC_I	F_A[3:0]		
Sensor S           \$A0           \$A1 to           \$AF           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4           \$C5           \$C6           \$C7           \$C8	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICREGID reserved PN0 PN1 SN0 SN1	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICREV ICMFG rese PN0 PN1 SN[	rved rved EID[7:0] ID[7:0] ID[7:0] rved [7:0] [7:0] 15:8] 3:16]	CRC_I	F_A[3:0]		
Sensor S \$A0 \$A1 to \$AE \$BE \$BF Traceabil \$C0 \$C1 \$C2 \$C3 \$C4 \$C5 \$C6 \$C7 \$C6 \$C7 \$C8 \$C9	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0 PN1 SN0 SN1 SN2	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG rese PN0 PN1 SN[ SN[2 SN[2	rved rved EID[7:0] ID[7:0] ID[7:0] rved [7:0] [7:0] [5:8] 3:16] 1:24]	CRC_I	F_A[3:0]		
Sensor S           \$A0           \$A1 to           \$AF           \$B0 to           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0 PN1 SN0 SN1 SN2 SN3	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICMFG rese PN0 PN1 SN[ SN[2 SN[2 SN[3	rved rved EID[7:0] ID[7:0] ID[7:0] rved [7:0] [7:0] 15:8] 3:16] 1:24] 9:32]	CRC_I	F_A[3:0]		
Sensor S           \$A0           \$A1 to           \$AF           \$BE           \$BF           Traceabil           \$C0           \$C1           \$C2           \$C3           \$C4           \$C5           \$C6           \$C7           \$C8           \$C9           \$CA	DSP_CFG_F reserved CRC_F_A reserved CRC_F_B ity Information ICTYPEID ICREVID ICREVID ICMFGID reserved PN0 PN1 SN0 SN1 SN2 SN3 SN4	F           F	LOCK_F_A	DEV_RA	NGE[3:0] EGA_BLOCKID	2:0] rese 2:0] ICTYPE ICREV ICREV ICRFG PN0 PN1 SN[ SN[2 SN[3 SN[3 SN[3	rved rved  EID[7:0]  ID[7:0]  ID[7:0]  rved  [7:0]  [5:8]  3:16]  1:24]  9:32]  FR#[7:0]	CRC_I	F_A[3:0]		

31 / 76

### **NXP Semiconductors**

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Address	Register	Type <sup>[</sup>	1]			1	Bit			
			7	6	5	4	3	2	1	0
\$CE	reserved	F				res	erved		1	
\$CF	CRC_F_C	F	LOCK_F_C	RE	GC_BLOCKID[	2:0]		CRC_F	_C[3:0]	_
\$D0	ASICWLOT_L	F		ASICWLOT_L[7:0]						
\$D1	ASICWLOT_H	F				ASICWL	OT_H[7:0]			_
\$D2	TRNS1WFR_X	F				TRNS1W	/FR_X[7:0]			
\$D3	TRNS1WFR_Y	F				TRNS1W	/FR_Y[7:0]			_
\$D4	TRNS1LOT_L	F				TRNS1L	.OT_L[7:0]			_
\$D5	TRNS1LOT_H	F				TRNS1L	OT_H[7:0]			
\$D6 to \$DE	reserved	F		reserved						
\$DF	CRC_F_D	F	LOCK_F_D	RE	GD_BLOCKID[	2:0]		CRC_F	_D[3:0]	
\$E0	USERDATA_0	UF2				USERDA	ATA_0[7:0]			
\$E1	USERDATA_1	UF2				USERDA	ATA_1[7:0]			
\$E2	USERDATA_2	UF2				USERDA	ATA_2[7:0]			
\$E3	USERDATA_3	UF2				USERDA	ATA_3[7:0]			
\$E4	USERDATA_4	UF2				USERDA	ATA_4[7:0]			_
\$E5	USERDATA_5	UF2				USERDA	ATA_5[7:0]			_
\$E6	USERDATA_6	UF2				USERDA	ATA_6[7:0]			
\$E7	USERDATA_7	UF2		USERDATA_7[7:0]						
\$E8	USERDATA_8	UF2		USERDATA_8[7:0]						_
\$E9	USERDATA_9	UF2		USERDATA_9[7:0]						
\$EA	USERDATA_A	UF2		USERDATA_A[7:0]						
\$EB	USERDATA_B	UF2				USERDA	ATA_B[7:0]			
\$EC	USERDATA_C	UF2				USERDA	TA_C[7:0]			
\$ED	USERDATA_D	UF2				USERDA	TA_D[7:0]			
\$EE	USERDATA_E	UF2				USERD/	TA_E[7:0]			_
\$EF	CRC_UF0	F	LOCK_UF0	RE	GE_BLOCKID[	2:0]		CRC_U	JF0[3:0]	
\$F0	USERDATA_10	UF1				USERDA	TA_10[7:0]			
\$F1	USERDATA_11	UF1				USERDA	TA_11[7:0]			
\$F2	USERDATA_12	UF1				USERDA	TA_12[7:0]			_
\$F3	USERDATA_13	UF1				USERDA	TA_13[7:0]			
\$F4	USERDATA_14	UF1				USERDA	TA_14[7:0]			
\$F5	USERDATA_15	UF1				USERDA	TA_15[7:0]			
\$F6	USERDATA_16	UF1				USERDA	TA_16[7:0]			_
\$F7	USERDATA_17	UF1				USERDA	TA_17[7:0]			
\$F8	USERDATA_18	UF1				USERDA	TA_18[7:0]			_
\$F9	USERDATA_19	UF1				USERDA	TA_19[7:0]			_
\$FA	USERDATA_1A	UF1				USERDA	TA_1A[7:0]			_
\$FB	USERDATA_1B	UF1				USERDA	TA_1B[7:0]			
\$FC	USERDATA_1C	UF1				USERDA	TA_1C[7:0]			_
\$FD	USERDATA_1D	UF1				USERDA	TA_1D[7:0]			_
\$FE	USERDATA_1E	UF1				USERDA	TA_1E[7:0]			
\$FF	CRC_UF1	F	LOCK_UF1	RE	GF_BLOCKID[	2:0]		CRC_U	JF1[3:0]	_

[1] Memory type codes

R — Readable register with no OTP

© NXP B.V. 2018. All rights reserved.

FXPS7115D4

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

 $\mathsf{F}-\mathsf{User}$  readable register with  $\mathsf{OTP}$ 

UF2 — One time user programmable OTP location region 2

### 7.7 Register information

#### 7.7.1 COUNT - rolling counter register (address 00h)

The count register is a read-only register that provides the current value of a free-running 8-bit counter derived from the primary oscillator. A 10-bit prescaler divides the primary oscillator frequency by 1000. Thus, the value in the register increases by one count every 100  $\mu$ s and the counter rolls over every 25.6 ms.

Table 33. CC	OUNT - rolling	i counter regi	ster (address	00h) bit allo	cation

Bit	7	6	5	4	3	2	1	0	
Symbol	COUNT[7:0]								
Reset	0	0	0	0	0	0	0	0	
Access	R	R	R	R	R	R	R	R	

#### 7.7.2 Device status registers

The device status registers are read-only registers that contain device status information. These registers are readable in SPI or  $I^2C$  mode.

#### 7.7.2.1 **DEVSTAT** - device status register (address 01h)

#### Table 34. DEVSTAT - device status register (address 01h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	DSP_ERR	reserved	COMM_ ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TEST MODE	DEVRES	DEVINIT
Reset	1	reserved	0	0	х	0	1	1
Access	R	R	R	R	R	R	R	R

#### Table 35. DEVSTAT - device status register (address 01h) bit description

Bit	Symbol	Description
7	DSP_ERR	The DSP error flag is set if a DSP specific error is present in the pressure signal DSP: DSP_ERR = DSP_STAT[PABS_HIGH]   DSP_STAT[PABS_LOW]   DSP_STAT[ST_ INCMPLT]   DSP_STAT[CM_ERROR]   DSP_STAT[ST_ERROR]
5	COMM_ERR	The communication error flag is set if any bit in DEVSTAT3 is set: COMM_ERR = MISO_ERR
4	MEMTEMP_ERR	The memory error flag is set if any bit in DEVSTAT2 is set: MEMTEMP_ERR = F_OTP_ERR   U_OTP_ERR   U_RW_ERR   U_W_ACTIVE   TEMP0_ERR
3	SUPPLY_ERR	The supply error flag is set if any bit in DEVSTAT1 is set: SUPPLY_ERR = VCCUV_ERR   VCCOV_ER   INTREG_ERR   INTREGA_ERR   INTREGF_ERR

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Bit	Symbol	Description
2	TESTMODE	The test mode bit is set if the device is in test mode. The TESTMODE bit can be cleared by a test mode operation or by a power cycle. <b>0</b> — Test mode is not active <b>1</b> — Test mode is active
1	DEVRES	The device reset bit is set following a device reset. This error is cleared by a read of the DEVSTAT register through any communication interface or on a data transmission that includes the error in the status field. <b>0</b> — Normal operation <b>1</b> — Device reset occurred
0	DEVINIT	The device initialization bit is set following a device reset. The bit is cleared once sensor data is valid for read through one of the device communication interfaces (t <sub>POR_DataValid</sub> ). <b>0</b> — Normal operation <b>1</b> — Device initialization in process

### 7.7.2.2 DEVSTAT1 - device status register (address 02h)

#### Table 36. DEVSTAT1 - device status register (address 02h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	VCCUV_ ERR	reserved	VCCOV_ ERR	reserved	INTREGA_ ERR	INTREG_ ERR	INTREGF_ ERR	CONT_ERR
Reset	х	х	х	x	х	х	х	0
Access	R	R	R	R	R	R	R	R

#### Table 37. DEVSTAT1 - device status register (address 02h) bit description

Bit	Symbol	Description
7	VCCUV_ERR	The V <sub>CC</sub> undervoltage error bit is set if the V <sub>CC</sub> voltage falls below the voltage specified in Table 106. See Section 7.1 for details on the V <sub>CC</sub> undervoltage monitor. This bit is cleared once sensor data is valid for read through one of the device communication interfaces ( $t_{POR_DataValid}$ ). <b>0</b> — No error detected <b>1</b> — V <sub>CC</sub> voltage low
5	VCCOV_ERR	The V <sub>CC</sub> overvoltage error bit is set if the V <sub>CC</sub> voltage rises above the voltage specified in <u>Table 106</u> . See <u>Section 7.1</u> for details on the V <sub>CC</sub> overvoltage monitor. A common timer is used for all error bits in the DEVSTAT1 register. If any supply error is present, the timer is reset to $t_{UVOV\_RCV}$ . This bit is cleared once sensor data is valid for read through one of the device communication interfaces ( $t_{POR\_DataValid}$ ). <b>0</b> — No error detected <b>1</b> — V <sub>CC</sub> voltage high
3	INTREGA_ERR	The internal analog regulator voltage out-of-range error bit is set if the internal analog regulator voltage falls outside of expected limits. This bit is cleared once sensor data is valid for read through one of the device communication interfaces (t <sub>POR_DataValid</sub> ). <b>0</b> — No error detected <b>1</b> — Internal analog regulator voltage out of range

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Bit	Symbol	Description
2	INTREG_ERR	The internal digital regulator voltage out-of-range error bit is set if the internal digital regulator voltage falls outside of expected limits. This bit is cleared once sensor data is valid for read through one of the device communication interfaces (t <sub>POR_DataValid</sub> ). <b>0</b> — No error detected <b>1</b> — Internal digital regulator voltage out of range
1	INTREGF_ERR	The internal OTP regulator voltage out-of-range error bit is set if the internal OTP regulator voltage falls outside of expected limits. This bit is cleared once sensor data is valid for read through one of the device communication interfaces (t <sub>POR_DataValid</sub> ). <b>0</b> — No error detected <b>1</b> — Internal OTP regulator voltage out of range
0	CONT_ERR	The continuity monitor passes a low current through a connection around the perimeter of the device and monitors the continuity of the connection. The error bit is set if a discontinuity is detected in the connection. A common timer is used for all error bits in the DEVSTAT1 register. If any supply error is present, the timer is reset to $t_{UVOV\_RCV}$ . This bit is cleared based on the state of the SUP_ERR_DIS bit in the DEVLOCK_WR register as shown in Section 7.7.4. <b>0</b> — No error detected <b>1</b> — Error detected in the continuity of the edge seal monitor circuit

#### 7.7.2.3 DEVSTAT2 - device status register (address 03h)

Bit	7	6	5	4	3	2	1	0
Symbol	F_OTP_ ERR	U_OTP_ ERR	U_RW_ERR	U_W_ ACTIVE	reserved	TEMP0_ ERR	reserved	reserved
Reset	0	0	0	0	reserved	0	reserved	reserved
Access	R	R	R	R	R	R	R	R

#### Table 38. DEVSTAT2 - device status register (address 03h) bit allocation

#### Table 39. DEVSTAT2 - device status register (address 03h) bit description

Bit	Symbol	Description
7	F_OTP_ERR	The NXP factory OTP array error bit is set if a fault is detected in the factory OTP array. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field. <b>0</b> — No error detected <b>1</b> — Error detected in the NXP factory OTP array
6	U_OTP_ERR	<ul> <li>The user OTP array error bit is set if a fault is detected in the user OTP array. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field.</li> <li>0 — No error detected</li> <li>1 — Error detected in the user OTP array</li> </ul>
5	U_RW_ERR	<ul> <li>When ENDINIT is set, an error detection is enabled for all user writable registers. The error detection code is continuously calculated on the user writable registers and verified against a previously calculated error detection code. If a mismatch is detected in the error detection, the U_RW_ERR bit is set. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field.</li> <li>0 — No error detected</li> <li>1 — Error detected in the user read/write array</li> </ul>
FXPS7115D4	1	All information provided in this document is subject to legal disclaimers. © NXP B.V. 2018. All rights reserved

### **NXP Semiconductors**

# FXPS7115D4

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Bit	Symbol	Description
4	U_W_ACTIVE	The user OTP write in process status bit is set if a user initiated write to OTP is currently in process. The U_W_ACTIVE bit is automatically cleared once the write to OTP is complete. <b>0</b> — No OTP write in process <b>1</b> — OTP write in process
2	TEMP0_ERR	<ul> <li>The temperature error bit is set if an overtemperature or undertemperature condition exists. This error is cleared by a read of the DEVSTAT2 register through any communication interface or on a data transmission that includes the error in the status field.</li> <li>0 — No error detected</li> <li>1 — Overtemperature or undertemperature error condition detected</li> </ul>

#### 7.7.2.4 DEVSTAT3 - device status register (address 04h)

#### Table 40. DEVSTAT3 - device status register (address 04h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol	MISO_ERR	OSCTRAIN_ ERR	reserved	reserved	reserved	reserved	reserved	reserved
Reset	0	0	reserved	reserved	reserved	reserved	reserved	reserved
Access	R	R	R	R	R	R	R	R

#### Table 41. DEVSTAT3 - device status register (address 04h) bit description

Bit	Symbol	Description
7	MISO_ERR	In SPI mode, the MISO data mismatch flag is set when a MISO Data mismatch fault occurs. The MISO_ERROR bit is cleared by a read of the DEVSTAT3 register through any communication interface, or by a status transmission including the error status through the SPI. <b>0</b> — No error detected <b>1</b> — MISO data mismatch
6	OSCTRAIN_ERR	The oscillator training error bit is set if an error detected in either the oscillator training settings, or the master communication timing. Once the error condition is corrected, the OSCTRAIN_ERR bit is cleared after a read of the OSCTRAIN_ERR bit through any communication interface, or by a status transmission including the error status through any communication interface. <b>0</b> — No error detected <b>1</b> — Oscillator training error

#### 7.7.3 **TEMPERATURE** - temperature register (address 0Eh)

The temperature register is a read-only register that provides a temperature value for the IC. The temperature value is specified in the temperature sensor signal chain section of Table 106.

*Note:* The device is only guaranteed to operate within the temperature limits specified in <u>Section 10 "Static characteristics "</u>.
### Digital Absolute Pressure Sensor, 40 to 115 kPa

Table 42. TEMPERATORE - temperature register (address beir) bit anocation													
Bit	7	6	5	4	3	2	1	0					
Symbol		TEMP[7:0]											
Reset	0	0	0	0	0	0	0	0					
Access	R	R	R	R	R	R	R	R					

#### Table 42. TEMPERATURE - temperature register (address 0Eh) bit allocation

### 7.7.4 DEVLOCK\_WR - lock register writes register (address 10h)

The lock register writes register is a read/write register that contains the ENDINIT bit and reset control bits.

	Table 40. DEVEOOR_WK - lock register writes register (address ref) bit anotation												
Bit	7	6	5	4	3	2	1	0					
Symbol	ENDINIT	reserved	reserved	reserved	SUP_ERR_DIS	reserved	RESE	T[1:0]					
Factory default	0	0	0	0	0	0	0	0					
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W					

#### Table 43. DEVLOCK\_WR - lock register writes register (address 10h) bit allocation

Table 44	. DEVLOCK_WR	- lock register writes register (address 10h) bit description						
Bit	Symbol	Description						
7	ENDINIT	The ENDINIT bit is a control bit used to indicate that the user has completed all device and system level initialization tests. Once the ENDINIT bit is set, writes to all writable register bits are inhibited except for the DEVLOCK_WR register. Once set, the ENDINIT bit can only be cleared by a device reset. When ENDINIT is set, the following occurs:						
		<ul> <li>An error detection is enabled for all user writable registers. The error detection code is continuously calculated on the user writable registers and verified against a previously calculated error detection code.</li> <li>Self-test is disabled and inhibited.</li> </ul>						
		<ul> <li>Register writes are inhibited with the exception of the RESET[1:0] bits in the DEVLOCK_WR register.</li> </ul>						
3	SUP_ERR_DIS	The supply error disable bit allows the user to disable reporting of the supply errors in the SPI status fields.						
1 to 0	RESET[1:0]	To reset the device, three consecutive register write operations must be performed in the order shown in Table 45, or the device will not reset.						
		The response to a register write returns the new register value, including the values written to the RESET[1:0] bits. After the third register write command, the device initiates a reset and thus does not transmit an acknowledge. The response to a register read returns '00' for RESET[1:0] and terminates the reset sequence. The reset control bits are not included in the read/write array error detection.						

#### Table 45. Device reset command sequence

Register write to DEVLOCK_WR	RESET[0]	RESET[1]	Effect
Register write 1	0	0	No effect
Register write 2	1	1	No effect
Register write 3	0	1	Device RESET

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

# 7.7.5 UF\_REGION\_W, UF\_REGION\_R - UF region selection registers (address 14h, 15h)

The UF region load register is a user read/write register that contains the control bits for the UF0 and UF1 regions to be accessed. This register is included in the user read/write array error detection. The UF region active register is a read only register that contains the status bits for the UF0 and UF1 regions to be accessed. This register is included in the user read/write array error detection.

The UF\_REGION\_W register is readable and writable in SPI mode or  $I^2C$  mode. The UF\_REGION\_R register is readable in SPI mode or  $I^2C$  mode.

Bit	7	6	5	4	3	2	1	0
Symbol		REGION_	LOAD[3:0]	/	0	0	0	0
Factory default	1	1	1	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

#### Table 46. UF\_REGION\_W - UF region selection register (address 14h) bit allocation

#### Table 47. UF\_REGION\_R - UF region selection register (address 15h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol		REGION_A	CTIVE[3:0]		0	0	0	0
Factory default	1	1 1 1 0				0	0	0
Access	R	R	R	R	R	R	R	R

The user OTP regions UF0, UF1 and F share a block of 16 registers. Prior to reading the registers via any communication interface, the user must ensure that the desired OTP registers are loaded into the readable registers. Below is the necessary procedure to ensure proper reading of the UF0, UF1 and F registers.

 Write the desired address range to be read to the REGION\_LOAD[3:0] bits in the UF\_REGION\_W register using one of the communication interfaces available via the COMMTYPE register.

#### Table 48. REGION\_LOAD Bit Definitions

RE	GION_I	OAD[3	3:0]	OTP register addresses loaded into the readable registers
0	0	0	0	not applicable
0	0	0	1	not applicable
00	0010 through 1001		)1	reserved
1	0	1	0	Address Range \$A0 through \$AF
1	0	1	1	Address Range \$B0 through \$BF
1	1	0	0	Address Range \$C0 through \$CF
1	1	0	1	Address Range \$D0 through \$DF
1	1	1	0	Address Range \$E0 through \$EF
1	1	1	1	Address Range \$F0 through \$FF

2. Add a delay (Refer to appropriate Application Note for specific communication protocol for delay values)

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

3. Optional: Execute a register read of the UF\_REGION\_R register and confirm the REGION\_ACTIVE[3:0] bits match the values written to the REGION\_LOAD[3:0] bits in the UF\_REGION\_W register.

Table 4	Table 49. REGION_ACTIVE Bit Definitions										
REC	GION_A	CTIVE[	3:0]	OTP register addresses loaded into the readable registers							
0	0	0	0	Load of OTP registers is in process							
0	0	0	1	The contents of the shared registers has been over-written by he user							
00	010 thro	ugh 100	)1	not applicable							
1	0	1	0	Address Range \$A0 through \$AF							
1	0	1	1	Address Range \$B0 through \$BF							
1	1	0	0	Address Range \$C0 through \$CF							
1	1	0	1	Address Range \$D0 through \$DF							
1	1	1	0	Address Range \$E0 through \$EF							
1	1	1	1	Address Range \$F0 through \$FF							

#### Table 49. REGION\_ACTIVE Bit Definitions

- 4. Execute a Register Read of the desired registers from the UF0, UF1 or F register section. Complete all desired Register Reads of the selected UF Region.
- 5. Repeat steps 1 through 4 for the next desired UF region to read.

#### Notes:

- The user must take care to ensure that the desired registers are addressed. For example, if the REGION\_LOAD bits are set to Ah and the user executes a read of address \$C2, the contents of registers \$A2 will be transmitted. No error detection is included other than a read of the REGION\_ACTIVE bits.
- For COMMTYPE options with multiple protocol options (COMMTYPE = '000' or '001'), no error detection is included other than a read of the REGION\_ACTIVE bits. The user must take care to ensure that the REGION\_LOAD, bits are not inadvertently changed by an alternative protocol while executing register reads.
- In SPI and I<sup>2</sup>C modes, once the ENDINIT bit is set, writes to registers other than the RESET[1:0] bits are inhibited. For this reason, reads of the UF0, UF1 and F registers will only be possible for the region selected by the REGION\_ACTIVE bits at the time ENDINIT is set.

#### 7.7.6 COMMTYPE - communication type register (address 16h)

When writing to this register, care must be taken to prevent from inadvertently disabling the desired communication mode. Communication mode register value changes, that disable a protocol, including writes to OTP, will not take effect until a device reset occurs to prevent disabling a necessary communication method.

Bit	7	6	5	4	3	2	1	0
Symbol	reserved	reserved	reserved	reserved	reserved	COMMTYPE[2:0]		
Access	R/W	R/W	R/W	R/W	R/W	R/W R/W		R/W
Reset	0	0	0	0	0	0	0	0

#### Table 50. COMMTYPE - communication type register (address 16h) bit allocation

FXPS7115D4 Product data sheet

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Bit	Symbol	Descri	ption					
2 to 0	COMMTYPE[2:0}	Comm	Communication protocol selection					
		000	32-bit SPI (no internal self test, debug mode)					
		001	001	32-bit SPI (with start up internal self test)				
		32-bit SPI (no internal self test, debug mode)						
		011	reserved					
		100	32-bit SPI (no internal self test, debug mode)					
		101	reserved					
		l <sup>2</sup> C (pin 3 acts as an Interrupt)						
		111	I <sup>2</sup> C (pin 3 acts as an interrupt)					

#### Table 51. COMMTYPE - communication type register (address 16h) bit description

### 7.7.7 SOURCEID\_x - source identification registers (address 1Ah, 1Bh)

The source identification registers are user programmed read/write registers that contain the source identification information used in SPI Mode. These registers are included in the read/write array error detection. These registers are readable and writable in SPI mode or  $I^2C$  mode.

#### Table 52. SOURCEID\_0 - source identification register (address 1Ah) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol	SID0_EN	reserved	reserved	reserved	SOURCEID_0[3:0]				
Factory default	0	0	0	0	0	0	0	0	
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	

#### Table 53. SOURCEID\_1 - source identification register (address 1Bh) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol	SID1_EN	reserved	reserved	reserved	SOURCEID_1[3:0]				
Factory default	0	0	0	0	0	0	0	0	
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W	

### 7.7.8 TIMING\_CFG - communication timing register (address 22h)

The communication timing configuration register is a user programmed read/write register that contains user specific configuration information for protocol timing. This register is included in the read/write array error detection. This register is readable and writable in SPI mode or  $I^2C$  mode.

Table 64. Thinke_of 6 - commanication timing register (address 22h) bit anocation										
Bit	7 6 5			4	3	2	1	0		
Symbol	reserved			OSCTRAIN_ SEL	CK_CAL_ RST	reserved	reserved	CK_CAL_EN		
Factory default	0	0 0 0			0	0	0	0		
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W		

#### Table 54, TIMING CFG - communication timing register (address 22h) bit allocation

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.7.9 SPI Configuration Control Register (SPI\_CFG, Address 3Dh)

In SPI mode, the SPI configuration control register is a user programmed read/write register that contains the SPI protocol configuration information. This register is included in the read/write array error detection. This register is readable and writable in SPI mode or  $I^2C$  mode

Table 55. SPI_CFG Register (address 3Dh) bit allocation	Table 55.	SPI	CFG	Register	(address	3Dh	) bit allocation
---	-----------	-----	-----	----------	----------	-----	------------------

Bit	7	6	5	4	3	2	1	0
Symbol	reserved	DATASIZE	SPI_CRC	_LEN[1:0]		SPICRCS	SEED[3:0]	
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

#### 7.7.9.1 SPI Data Field Size (DATASIZE)

The SPI data field size bit controls the size of the SPI data field as shown below.

#### Table 56. DATASIZE Bit Definition

DATASIZE	SPI Data Field Size
0	12-Bits
1	16-Bits

#### 7.7.9.2 SPI CRC Length and Seed Bits

The SPI\_CRC\_LEN[1:0] bits select the CRC length for SPI Mode as shown in the table below. The SPI CRC seed bits contain the seed used for the SPI Mode. The default SPI CRC is an 8-bit. When the SPI\_CRC\_LEN[1:0] bits are set to a non-zero value using a Register Write command, the SPI CRC changes as defined in the table. The new polynomial value is enabled for both MISO and MOSI on the next SPI Mode command. The default seed (SPICRCSEED[3:0] = 0h) is FFh for an 8-bit CRC. When the value is changed to a non-zero value using a Register Write command, the SPI CRC seed changes to the value programmed as shown in the table. The new seed value is enabled for both MISO and MOSI on the new seed value is enabled for both MISO and MOSI on the new seed value is enabled for both MISO and MOSI on the table. The new seed value is enabled for both MISO and MOSI on the table. The new seed value is enabled for both MISO and MOSI on the new seed value is enabled for both MISO and MOSI on the next SPI CRC seed changes to the value programmed as shown in the table. The new seed value is enabled for both MISO and MOSI on the next SPI Mode command.

#### Table 57. SPI CRC Definition

SPI_CRC	_LEN[1:0]	SPICRCSEED	CRC Polynomial	CRC Seed
0	0	0	$x^{8} + x^{5} + x^{3} + x^{2} + x + 1$	1111, 1111
0	0	non-zero	$x^8 + x^5 + x^3 + x^2 + x + 1$	0000, SPICRCSEED[3:0]
0	1	0	x <sup>4</sup> + 1	1010
0	0	non-zero	x <sup>4</sup> + 1	SPICRCSEED[3:0]
1	0	0	x <sup>3</sup> + x + 1	111
1	0	non-zero	x <sup>3</sup> + x + 1	SPICRCSEED[2:0]
1	1	0	x <sup>3</sup> + x + 1	111
1	1	non-zero	x <sup>3</sup> + x + 1	SPICRCSEED[2:0]

#### 7.7.10 WHO\_AM\_I - who am I register (address 3Eh)

The WHO\_AM\_I register is a user programmed read/write register that contains the unique product identifier. This register is included in the read/write array error detection.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

able 58. WHO_AM_I - device identification register (address 3En) bit allocation								
Bit	7	6	5	4	3	2	1	0
Symbol	WHO_AM_I[7:0]							
Factory default (stored value)	0	0	0	0	0	0	0	0
Factory default (read value)	0	1	1	0	0	1	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

## ble 50 M/LO AM L device identification register (address 25b) bit allocation

The default register value is 00h. If the register value is 00h, a value of C4h is transmitted in response to a read command. For all other register values, the actual register value is transmitted in response to a read command.

#### Table 59. WHO AM I register values

WHO_AM_I register value (hex)	Response to a register read command		
00h	C4h		
01h to FFh	Actual register value		

### 7.7.11 I2C\_ADDRESS - I<sup>2</sup>C slave address register (address 3Fh)

The I<sup>2</sup>C slave address register is a user programmed read/write register that contains the unique I<sup>2</sup>C slave address. The register is readable in all modes. This register is included in the read/write array error detection.

#### Table 60. I2C ADDRESS - I<sup>2</sup>C slave address register (address 3Fh) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				I2C_ADDI	RESS[7:0]			
Factory Default (stored value)	0	0	0	0	0	0	0	0
Factory Default (read value)	0	1	1	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The default register value is 00h. If the register value is 00h, the I<sup>2</sup>C slave address is 60h and a value of 60h is transmitted in response to a read command. If the register is written to a value other than 00h, the  $l^2C$  slave address is the lower seven bits of the actual register value and the actual register value is transmitted in response to a read command.

#### 7.7.12 DSP Configuration Registers (DSP\_CFG\_Ux)

The DSP Configuration registers (DSP CFG Ux) are a series of registers that affect the DSP datapath.

There are 5 DSP Configuration registers, however, only DSP\_CFG\_U1, DSP\_CFG\_U4 and DSP CFG U5 are used when the device is in SPI or  $I^2$ C mode. The DSP CFG U2 and DSP\_CFG\_U3 registers are for factory use only and are used for internal tests.

#### 7.7.12.1 Self-test control bits

The self test control bits select one of the various analog and digital self test features of the device as shown in the table below. The self test control bits are not included in the read/write array error detection.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

ST_ CTRL[3]	ST_ CTRL[2]	ST_ CTRL[1]	ST_ CTRL[0]	Function	SNS_DATAx_X Contents (16-bit data)
0	0	0	0	Normal Pressure Signal	16 bit Absolute Pressure Data
0	0	0	1	P-Cell Common Mode Verification	16 bit Absolute Pressure Data
0	0	1	0	reserved	reserved
0	0	1	1	reserved	reserved
0	1	0	0	DSP write to SNS_DATAx_X registers inhibited.	0000h
0	1	0	1	DSP write to SNS_DATAx_X registers inhibited.	AAAAh
0	1	1	0	DSP write to SNS_DATAx_X registers inhibited.	5555h
0	1	1	1	DSP write to SNS_DATAx_X registers inhibited.	FFFFh
1	0	0	0	reserved	reserved
1	0	0	1	reserved	reserved
1	0	1	0	reserved	reserved
1	0	1	1	reserved	reserved
1	1	0	0	Digital Self Test 0	Digital Self Test Output
1	1	0	1	Digital Self Test 1	Digital Self Test Output
1	1	1	0	Digital Self Test 2	Digital Self Test Output
1	1	1	1	Digital Self Test 3	Digital Self Test Output

#### Table 61. Self Test Control Bits (ST\_CTRL[3:0])

#### 7.7.12.2 DSP\_CFG\_U1 - DSP user configuration #1 register (address 40h)

The DSP user configuration register #1 is a user programmable read/write register that contains DSP specific configuration information. This register is included in the read/write array error detection.

Changes to this register reset the DSP data path. The contents of the SNSDATA\_x registers are not guaranteed until the DSP has completed initialization as specified in <u>Table 107</u>. Reads of the SNSDATA\_x registers and sensor data requests should be prevented during this time.

Bit	7	6	5	4	3	2	1	0
Symbol		LPF	[3:0]		reserved	reserved	USER_RANGE[1]	USER_RANGE[0]
Factory default	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

#### Table 62. DSP\_CFG\_U1 - DSP user configuration #1 register (address 40h) bit allocation

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

LPF[3]	LPF[2]	LPF[1]	LPF[0]	Low Pass Filter Type
0	0	0	0	370 Hz, 2-Pole
0	0	0	1	400 Hz, 3 Pole
0	0	1	0	800 Hz, 4-Pole
0	1	0	0	1000 Hz, 4-Pole
0	1	0	1	reserved
0	1	1	0	reserved
0	1	1	1	reserved
1	0	0	0	reserved
1	x	x	x	reserved

#### Table 63. Low-pass filter selection bits (LPF[3:0])

#### Table 64. User range selection bits (USER\_RANGE[1:0])

USER_RANGE[1]	USER_RANGE[0]	Absolute Pressure Range	Notes
0	0	reserved	For Internal use Only
0	1	reserved	For Internal use Only
1	0	reserved	For Internal use Only
1	1	reserved	For Internal use Only

#### 7.7.12.3 DSP\_CFG\_U4 - DSP user configuration #4 register (address 43h)

The DSP user configuration register #4 is a user programmable read/write register that contains DSP specific configuration information. This register is included in the read/write array error detection.

			inigulation #	Fregister (uu		t unocution		
Bit	7	6	5	4	3	2	1	0
Symbol	reserved	reserved	reserved	reserved	reserved	INT_OUT	reserved	reserved
Reset	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

#### Table 65. DSP\_CFG\_U4 - DSP user configuration #4 register (address 43h) bit allocation

#### Table 66. DSP\_CFG\_U4 - DSP user configuration #4 register (address 43h) bit description

Bit	Symbol	Description
7 to 4	reserved	These bits are reserved.
2	INT_OUT	<ul> <li>The interrupt pin configuration bit selects the mode of operation for the interrupt pin.</li> <li><b>0</b> — Open drain, active high with pull-down current</li> <li><b>1</b> — Open drain, active low with pullup current</li> </ul>
1 to 0	reserved	These bits are reserved.

#### 7.7.12.4 DSP\_CFG\_U5 - DSP user configuration #5 register (address 44h)

The DSP user configuration register #5 is a read/write register that contains DSP specific configuration information. This register is included in the read/write array error detection.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### Table 67. DSP\_CFG\_U5 - DSP user configuration #5 register (address 44h) bit allocation

Bit	7	6	5	4	3	2	1	0		
Symbol		ST_CT	RL[3:0]		reserved					
Factory default	0	0	0	0	0	0	0	0		
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W		

#### Table 68. DSP\_CFG\_U5 - DSP user configuration #5 register (address 44h) bit description

Bit	Symbol	Description
7 to 4	ST_CTRL[3:0]	The self-test control bits select one of the various analog and digital self-test features of the device as shown in <u>Table 61</u> . The self-test control bits are not included in the read/write array error detection.
3 to 0	reserved	These bits are reserved.

#### Table 69. Self-test control bits

ST_CTRL[3]	ST_CTRL[2]	ST_CTRL[1]	ST_CTRL[0]	Function	SNS_DATAx_X contents 16-bit data
0	0	0	0	Normal pressure signal	reserved
0	0	0	1	P-cell common mode verification	reserved
0	0	1	0	reserved	reserved
0	0	1	1	reserved	reserved
0	1	0	0	DSP write to SNS_DATAx_X registers inhibited.	0000h
0	1	0	1	DSP write to SNS_DATAx_X registers inhibited.	AAAAh
0	1	1	0	DSP write to SNS_DATAx_X registers inhibited.	5555h
0	1	1	1	DSP write to SNS_DATAx_X registers inhibited.	FFFFh
1	0	0	0	reserved	reserved
1	0	0	1	reserved	reserved
1	0	1	0	reserved	reserved
1	0	1	1	reserved	reserved
1	1	0	0	Digital self test 0	8171h
1	1	0	1	Digital self test 1	6C95h
1	1	1	0	Digital self test 2	807Ah
1	1	1	1	Digital self test 3	78ACh

### 7.7.13 INT\_CFG - interrupt configuration register (address 45h)

The interrupt configuration register contains configuration information for the interrupt output. This register can be written during initialization but is locked once the ENDINIT bit is set (see <u>Section 7.7.4 "DEVLOCK\_WR - lock register writes register (address 10h)"</u>). The register is included in the read/write array error detection.

14610 10. 11	<u></u>	in apt conlige	in a don rogio					
Bit	7	6	5	4	3	2	1	0
Symbol	rese	rved	INT_P	'S[1:0]	INT_ reserved POLARITY			
Reset	0	0	0	0	0	0	0	0
Access	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

#### Table 70. INT\_CFG - interrupt configuration register (address 45h) bit allocation

FXPS7115D4 Product data sheet

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Bit	Symbol	Description
5 to 4	INT_PS[1:0]	<ul> <li>The INT_PS[1:0] bits set the programmable pulse stretch time for the interrupt output. Pulse stretch times are derived from the internal oscillator, so the tolerance on this oscillator applies.</li> <li>00 — 0 ms</li> <li>01 — 16.000 ms to 16.512 ms</li> <li>10 — 64.000 ms to 64.512 ms</li> <li>11 — 256.000 ms to 256.512 ms</li> <li>If the pulse stretch function is programmed to '00', the interrupt pin is asserted if and only if the interrupt condition exists after the most recent evaluated sample. The interrupt pin is deasserted if and only if an interrupt condition does not exist after the most recent evaluated sample.</li> <li>If the pulse stretch function is programmed to a non-zero value, the interrupt pin is controlled only by the value of the pulse stretch timer value. If the pulse stretch timer value is non-zero, the interrupt pin is asserted. If the pulse stretch counter continuously decrements until it reaches zero. The pulse stretch condition exists after the most number is zero. The pulse stretch condition exists after the most number is zero. The pulse stretch condition exists after the pulse stretch timer is zero. The pulse stretch counter is reset to the programmed pulse stretch value if and only if an interrupt condition exists after the most recent evaluated sample.</li> </ul>
3	INT_POLARITY	The interrupt polarity bit controls whether the interrupt is activated for values within or outside of the window selected by the high and low threshold registers. With this bit and the programmable thresholds, a window comparator can be programmed for activation either within or outside of a window. <b>0</b> — Interrupt activated if the value is outside the window <b>1</b> — Interrupt activated if the value is inside the window

#### Table 71. INT\_CFG - interrupt configuration register (address 45h) bit description

# 7.7.14 P\_INT\_HI, P\_INT\_LO - interrupt window comparator threshold registers (address 46h to 49h)

The interrupt threshold registers contain the high and low window comparator thresholds for pressure to be used to activate and deactivate the interrupt output. These registers can be written during initialization but are locked once the ENDINIT bit is set (see <u>Section 7.7.4 "DEVLOCK\_WR - lock register writes register (address 10h)"</u>). The register is included in the read/write array error detection.

Table 72.	P_INT_HI, P_INT_LC	) - interru	ot window	compara	tor thresh	nold regis	ters (addr	ess 46h to	o 49h) bit	allocation
Location						Bit				
Address	Register	8	7	6	5	4	3	2	1	0
46h	PIN_INT_HI_L		PIN_INT_HI[7:0]							
47h	PIN_INT_HI_H		PIN_INT_HI[15:8]							
48h	PIN_INT_LO_L				PIN	I_INT_LO[	7:0]			
49h	PIN_INT_LO_H				PIN	_INT_LO[	15:8]			
Reset		0	0	0	0	0	0	0	0	0
Access R			R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The pressure threshold registers hold independent unsigned 16-bit values for a high and a low threshold. The window comparator threshold alignment is shown in <u>Section 7.3.4.4</u> "<u>Absolute pressure output data scaling equation</u>".

If either the high or low threshold is programmed to 0000h, comparisons are disabled for that threshold only. The interrupt comparison still functions for the opposite threshold.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

If both the high and low thresholds are programmed to 0000h, the interrupt output is disabled.

<u>Table 73</u> shows examples of some threshold register values and the corresponding threshold.

#### Table 73. Threshold register values

Progra	mmed threshold	s	Interrupt type	Pressure t	hresholds
INT_POLARITY	Low threshold (decimal)	High threshold (decimal)		Low threshold (kPa)	High threshold (kPa)
1	2924	3624	Interrupt inside window	90	110
0	2924	3624	Interrupt outside window	90	110
1	1174	3799	Interrupt inside window	40	115
0	1174	3799	Interrupt outside window	40	115

### 7.7.15 P\_CAL\_ZERO - pressure calibration registers (address 4Ch, 4Dh)

The pressure calibration registers contain user programmable values to adjust the offset of the absolute pressure.

These registers can be written during initialization but are locked once the ENDINIT bit is set (see <u>Section 7.7.4 "DEVLOCK\_WR - lock register writes register (address 10h)"</u>). These registers are included in the read/write array error detection. Changes to these registers reset the DSP data path. The contents of the SNSDATA\_x registers are not guaranteed until the DSP has completed initialization, as specified in <u>Table 107</u>. Reads of the SNSDATA\_x registers and sensor data requests should be prevented during this time.

 Table 74. P\_CAL\_ZERO - pressure calibration registers (address 4Ch, 4Dh) bit allocation

Location		Bit							
Address	Register	7	6	5	4	3	2	1	0
4Ch	P_CAL_ZERO_L		P_CAL_ZERO[7:0]						
4Dh	P_CAL_ZERO_H		P_CAL_ZERO[15:8]						
Reset		0	0	0	0	0	0	0	0
Access		R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

The P\_CAL\_ZERO register value is a signed 16-bit value that is directly added to the internally calibrated pressure signal value as shown in <u>Equation 6</u>. The equation applies to the values in the 16-bit SNSDATA registers.

$$PABS_{kPa} = \left[\frac{PABS_{LSB} - PABSOFF_{LSB} + UserOffset}{PABS_{SENSE} \times UserGain}\right]$$
(6)

Where:

$$\begin{split} \mathsf{PABS}_{\mathsf{kPa}} &= \mathsf{The} \ \mathsf{absolute} \ \mathsf{pressure} \ \mathsf{output} \ \mathsf{in} \ \mathsf{kPa} \\ \mathsf{PABS}_{\mathsf{LSB}} &= \mathsf{The} \ \mathsf{internal} \ \mathsf{trimmed} \ \mathsf{absolute} \ \mathsf{pressure} \ \mathsf{output} \ \mathsf{in} \ \mathsf{LSB} \\ \mathsf{PABSOFF}_{\mathsf{LSB}} &= \mathsf{The} \ \mathsf{internal} \ \mathsf{trimmed} \ \mathsf{absolute} \ \mathsf{pressure} \ \mathsf{output} \ \mathsf{value} \ \mathsf{at} \ \mathsf{0} \ \mathsf{kPa} \ \mathsf{in} \ \mathsf{LSB} \end{split}$$

Access

## **FXPS7115D4**

0 ST\_ ERROR

0

R

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

PABS<sub>SENSE</sub> = The trimmed absolute pressure sensitivity in LSB/kPa UserOffset = The 16-bit signed value programmed into the P CAL ZERO register

**Note:** The pressure calibration registers enable range and resolution options beyond the specified values of the device. The user must take care to ensure that the value stored in this register does not result in a compressed output range or a railed output.

#### 7.7.16 DSP\_STAT - DSP specific status register (address 60h)

The DSP status register is a read-only register that contains sensor data specific status information.

R

R

R

Table 75. D5P_5	TAT - DSP S	pecific statu	s register (ad	aaress 60n) i	bit allocation			
Bit	7	6	5	4	3	2	1	
Symbol	reserved	PABS_ HIGH	PABS_ LOW	reserved	ST_ INCMPLT	ST_ ACTIVE	CM_ ERROR	
Factory default	0	0	0	0	1	0	0	

R

R

### Table 75. DSP\_STAT - DSP specific status register (address 60h) bit allocation

Bit	Symbol	Description
6	PABS_HIGH	The absolute pressure out-of-range high status bit is set if the absolute pressure exceeds the absolute pressure out-of-range high limit. The PABS_HIGH bit is cleared on a read of the DSP_STAT register through any communication interface or on a data transmission that includes the error in the status field.
5	PABS_LOW	The absolute pressure out-of-range low status bit is set if the absolute pressure exceeds the absolute pressure out-of-range low limit. The PABS_LOW bit is cleared on a read of the DSP_STAT register through any communication interface or on a data transmission that includes the error in the status field.
3	ST_INCMPLT	The self-test incomplete bit is set after a device reset and is only cleared when one of the analog or digital self-test modes is enabled in the ST_CTRL register (ST_CTRL[3] = '1'   ST_CTRL[2] = '1'   ST_CTRL[1] = '1'   ST_CTRL[0] = '1'). <b>0</b> — An analog or digital self-test has been activated since the last reset. <b>1</b> — No analog or digital self-test has been activated since the last reset.
2	ST_ACTIVE	The self-test active bit is set if any self-test mode is currently active. The self-test active bit is cleared when no self-test mode is active.         ST_ACTIVE=       ST_CTRL[3]       ST_CTRL[2]       ST_CTRL[1]       ST_CTRL[0]
1	CM_ERROR	The absolute pressure common mode error status bit is set if the common mode value of the analog front end exceeds predetermined limits. The CM_ERROR bit is cleared on a read of the DSP_STAT register through any communication interface or on a data transmission that includes the error in the status field.
0	ST_ERROR	The self-test error flag is set if an internal self test fails as described in <u>Section 7.3.2</u> . This bit can only be cleared by a device reset.

#### Table 76. DSP\_STAT - DSP specific status register (address 60h) bit description

R

R

#### 7.7.17 DEVSTAT\_COPY - device status copy register (address 61h)

The device status copy register is a read-only register that contains a copy of the device status information contained in the DEVSTAT register. See <u>Section 7.7.2.1 "DEVSTAT</u> - <u>device status register (address 01h)"</u> for details regarding the DEVSTAT register

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

contents. A read of the DEVSTAT\_COPY register has the same effect as a read of the DEVSTAT register.

Bit	7	6	5	4	3	2	1	0
Symbol	DSP_ERR	reserved	COMM_ ERR	MEMTEMP_ ERR	SUPPLY_ ERR	TESTMODE	DEVRES	DEVINIT
Reset	0	0	0	0	0	0	0	0
Access	R	R	R	R	R	R	R	R

Table 77. DEVSTAT CC	PY - device status copy register	(address 61h) bit allocation

#### 7.7.18 SNSDATA0\_L, SNSDATA0\_H - sensor data #0 registers (address 62h, 63h)

The sensor data #0 registers are read-only registers that contain the 16-bit sensor data. See <u>Section 7.3.4.4 "Absolute pressure output data scaling equation"</u> for details regarding the 16-bit sensor data.

The SNSDATA0\_H register value is latched on a read of the SNSDATA0\_L register value until the SNSDATA0\_H register is read. To avoid data mismatch, the user is required to always read the registers in sequence, SNSDATA0\_L register first, followed by the SNSDATA0\_H register.

Table 78. SNSDATA0_L, SNSDA	ΓA0_H - sensor data #0 registers (addresses 62h, 63h) bit allocation

Location		Bit								
Address	Symbol	7	6	5	4	3	2	1	0	
62h	SNSDATA0_L		SNSDATA0_L[7:0]							
63h	SNSDATA0_H		SNSDATA0_H[15:8]							
Factory de	ault	0	0	0	0	0	0	0	0	
Access		R R R R R R R						R		

#### 7.7.19 SNSDATA1\_L, SNSDATA1\_H - sensor data #1 registers (address 64h, 65h)

The sensor data #1 registers are read-only registers that contain the 16-bit sensor data. See <u>Section 7.3.4.4 "Absolute pressure output data scaling equation"</u> for details regarding the 16-bit sensor data.

The SNSDATA1\_H register value is latched on a read of the SNSDATA1\_L register value until the SNSDATA1\_H register is read. To avoid data mismatch, the user is required to always read the registers in sequence, SNSDATA1\_L register first, followed by the SNSDATA1\_H register.

Location		Bit									
Address	Symbol	7	6	5	4	3	2	1	0		
64h	SNSDATA1_L		SNSDATA1_L[7:0]								
65h	SNSDATA1_H	SNSDATA1_H[15:8]									
Factory de	efault	0	0	0	0	0	0	0	0		
Access		R	R	R	R	R	R	R	R		

FXPS7115D4 Product data sheet

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.7.20 SNSDATA0\_TIMEx - time stamp registers (address 66h to 6Bh)

The sensor data 0 time stamp registers are read-only registers that contain a 48-bit time stamp.

The value of the 48-bit free running timer register is copied to the sensor data 0 time stamp registers each time sensor data 0 data is latched for transmission. The time stamp is updated at the start of the sensor data 0 register value transmission for a register read of the SNSDATA0\_L register.

The time stamp register is organized to allow for optimized reading of the time stamp in  $I^2C$  automatic sensor data register read wrap-around mode as documented in <u>Table 8</u>.

The sensor data 0 time stamp registers are read-only registers that contain a 48-bit time stamp.

The value of the 48-bit free running timer register is copied to the sensor data 0 time stamp registers each time sensor data 0 data is latched for transmission via SPI.

Table 80. SNSDATA0\_TIMEx - time stamp register (address 66h to 6Bh) bit allocation

Location		Bit									
Address	Symbol	7	6	5	4	3	2	1	0		
66h	SNSDATA0_TIME0			Ś	SNSDATA		]				
67h	SNSDATA0_TIME1			S	NSDATA0	_TIME[15:8	3]				
68h	SNSDATA0_TIME2	SNSDATA0_TIME[23:16]									
69h	SNSDATA0_TIME3			SI	NSDATA0_	_TIME[31:2	4]				
6Ah	SNSDATA0_TIME4			SI	NSDATA0_	_TIME[39:3	2]				
6Bh	SNSDATA0_TIME5			SI	NSDATA0_	_TIME[47:4	0]				
Factory de	fault	0 0 0 0 0 0 0 0 0						0			
Access		R R R R R R R						R			

# 7.7.21 P\_MAX, P\_MIN - maximum and minimum absolute pressure value registers (address 6Ch to 6Fh)

The minimum and maximum absolute pressure value registers are read-only registers that contain a sample-by-sample continuously updated minimum and maximum 16-bit absolute pressure value. The value is reset to 0000h on a write to a DSP\_CFG\_U1 register that changes the value of the LPF[2:0] or ST CTRL[3:0].

These registers are readable in SPI mode or  $I^2C$  mode. In  $I^2C$  mode the P\_xxx\_H register value is latched on a read of the P\_xxx\_L register value until the P\_xxx\_H register is read. To avoid data mismatch, the user is required to always read the registers in sequence, P\_xxx\_L register first, followed by the P\_xxx\_H register.

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Location						it			
Address	Symbol	7	6	5	4	3	2	1	0
6Ch	P_MAX_L		P_MAX[7:0]						
6Dh	P_MAX_H	P_MAX[15:8]							
6Eh	P_MIN_L		P_MIN[7:0]						
6Fh	P_MIN_H		P_MIN[15:8]						
Factory de	efault	0	0 0 0 0 0 0 0						0
Access		R	R R R R R R R						R

#### Table 81, SNSDATA0 TIMEx - time stamp register (address 66h to 6Bh) bit allocation

### 7.7.22 FRT - free running timer registers (addresses 78h to 7Dh)

The free running timer registers are read-only registers that contain a 48-bit free running timer. The free running timer is clocked by the main oscillator frequency and increments every 100 ns.

	RT - free rui		registers (d				-				
Location			Bit								
Address	Symbol	7	6	5	4	3	2	1	0		
78h	FRT0		FRT[7:0]								
79h	FRT1		FRT[15:8]								
7Ah	FRT2		FRT[23:16]								
7Bh	FRT3				FRT[3	31:24]					
7Ch	FRT4				FRT[3	39:32]					
7Dh	FRT5		FRT[47:40]								
Access R			R	R	R	R	R	R	R		

#### . . ....

#### 7.7.23 DSP\_CFG\_F Register

The DSP configuration register is a factory programmable OTP register that contains DSP-specific configuration information. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

RANGE[3]	RANGE[2]	RANGE[1]	RANGE[0]	Absolute Pressure Range (kPa)
0	0	0	0	Rated Pressure Range
0	0	0	1	reserved
0	0	1	0	reserved
0	0	1	1	reserved
0	1	0	0	reserved
0	1	0	1	reserved
0	1	1	0	reserved
0	1	1	1	reserved
1	0	0	0	reserved
1	0	0	1	reserved
1	0	1	0	reserved
1	0	1	1	reserved
1	1	0	0	reserved
1	1	0	1	reserved
1	1	1	0	reserved
1	1	1	1	reserved

### 7.7.24 IC type register (Address C0h)

The IC type register is a factory programmable OTP register that contains the IC type as defined below. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

Table 84. IC	able 84. IC TYPE REGISTER (ICTYPEID address CON) bit allocation											
Bit	7	6	5	4	3	2	1	0				
Symbol		ICTYPEID[7:0]										
Reset	0	0	0	0	0	0	1	0				
Access	R	R	R	R	R	R	R	R				

### Table 94 IC TVDE RECISTER (ICTVDEID address C0b) bit allocation

#### 7.7.25 IC manufacturer revision register (Address C1h)

The IC manufacturer revision register is a factory programmable OTP register that contains the IC revision. The upper nibble contains the main IC revision. The lower nibble contains the sub IC revision. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

Table 85. IC	Table 85. IC MANUFACTURER REVISION REGISTER (ICREVID address C1h) bit allocation											
Bit	7	6	5	4	3	2	1	0				
Symbol		ICREVID[7:0]										
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
Access	R	R	R	R	R	R	R	R				

FXPS7115D4 **Product data sheet** 

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

#### 7.7.26 IC manufacturer identification register (address C2h)

The IC manufacturer identification register is a factory programmable OTP register that identifies NXP as the IC manufacturer. This register is included in the factory programmed OTP array error detection. This register is readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### Table 86. IC MANUFACTURER IDENTIFICATION REGISTER (ICMFGID address C2h) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		ICMFGID[7:0]							
Reset	0	0	0	0	0	0	1	0	
Access	R	R	R	R	R	R	R	R	

#### 7.7.27 Part number register (address C4h, C5h)

The part number registers are factory programmed OTP registers that include the numeric portion of the device part number. These registers are included in the factory programmed OTP array error detection. These register are readable in SPI mode or  $I^2C$  mode when ENDINIT is not set.

#### Table 87. PN0 Register (address C4h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol		PN0[7:0]						
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Table 88. PN1 Register (address C5h) bit allocation

······································										
Bit	7	6	5	4	3	2	1	0		
Symbol		PN1[7:0]								
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Access	R	R	R	R	R	R	R	R		

#### 7.7.28 Device serial number registers

The serial number registers are factory programmed OTP registers that include the unique serial number of the device. Serial numbers begin at 1 for all produced devices in each lot and are sequentially assigned. Lot numbers begin at 1 and are sequentially assigned. No lot will contain more devices than can be uniquely identified by the 14-bit serial number. Depending on lot size and quantities, all possible lot numbers and serial numbers might not be assigned. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### Table 89. SN0 Register (address C6h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				SN[	7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Table 90. Si	Table 50. SNT Register (address Crif) bit anocation											
Bit	7	6	5	4	3	2	1	0				
Symbol		SN[7:0]										
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
Access	R	R	R	R	R	R	R	R				

#### Table 90. SN1 Register (address C7h) bit allocation

#### Table 91. SN2 Register (address C8h) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		SN[7:0]							
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	R	

#### Table 92. SN3 Register (address C9h) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		SN[7:0]							
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	R	

#### Table 93. SN4 Register (address CAh) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		SN[7:0]							
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	R	

#### 7.7.29 ASIC wafer ID registers

The ASIC wafer ID registers are factory programmed OTP registers that include the wafer number, wafer X and Y coordinates and the wafer lot number for the device ASIC. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or  $I^2C$  mode when ENDINIT is not set.

#### Table 94. ASICWFR# Register (address CBh) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		ASICWFR#[7:0]							
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	R	

#### Table 95. ASICWFR\_X Register (address CCh) bit allocation

Bit	7	6	5	4	3	2	1	0	
Symbol		ASICWFR_X[7:0]							
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Access	R	R	R	R	R	R	R	R	

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Table 90. AS	Table 50. ASICWIR_I Register (address CDII) bit anocation											
Bit	7	7 6 5 4 3 2 1 0										
Symbol		ASICWFR_Y[7:0]										
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
Access	R	R	R	R	R	R	R	R				

#### Table 96. ASICWFR\_Y Register (address CDh) bit allocation

#### Table 97. ASICWLOT\_L Register (address D0h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol		ASICWLOT_L[7:0]						
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Table 98. ASICWLOT\_H Register (address D1h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				ASICWLO	DT_H[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### 7.7.30 Transducer wafer ID registers

The Transducer Wafer ID Registers are factory programmed OTP registers that include the wafer number, wafer X and Y coordinates and the wafer lot number for the device transducers. These registers are included in the factory programmed OTP array error detection. These registers are readable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### Table 99. TRNS1WFR\_X Register (address D2h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				TRNS1W	FR_X[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Table 100. TRNS1WFR\_Y Register (address D3h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				TRNS1W	FR_Y[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Table 101. TRNS1LOT\_L Register (address D4h) bit allocation

Bit	7	6	5	4	3	2	1	0
Symbol				TRNS1L0	DT_L[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

		itegister (aut	liess DSII) DI	anocation				
Bit	7	6	5	4	3	2	1	0
Symbol				TRNS1LC	DT_H[7:0]			
Reset	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Access	R	R	R	R	R	R	R	R

#### Table 102. TRNS1LOT\_H Register (address D5h) bit allocation

#### 7.7.31 USERDATA\_0 to USERDATA\_E - user data registers

User data registers are user programmable OTP registers that contain user specific information. These registers are included in the user programmed OTP array error detection. These registers are readable and writable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### 7.7.32 USERDATA\_10 to USERDATA\_1E - user data registers

User data registers are user programmable OTP registers that contain user specific information. These registers are included in the user programmed OTP array error detection. These registers are readable and writable in SPI mode or I<sup>2</sup>C mode when ENDINIT is not set.

#### 7.7.33 Lock and CRC Registers

The lock and CRC Registers are automatically programmed OTP registers that include the lock bit, the block identifier and the block OTP array CRC use for error detection. These registers are automatically programmed when the corresponding data array is programmed to OTP using the Write OTP Enable register.

Location					E	Bit			
Address	Register	7	6	5	4	3	2	1	0
\$5F	CRC_UF2	LOCK_UF2	0	0	0		CRC_L	JF2[3:0]	_
Factory Def	ault	0	0	0	0	0	0	0	0
\$AF	CRC_F_A	LOCK_F_A	RE	GA_BLOCKID[2	2:0]		CRC_F	_A[3:0]	
Factory Def	ault	1	0	0	1		va	ries	
\$BF	CRC_F_B	LOCK_F_B	RE	GB_BLOCKID[2	2:0]		CRC_F	=_B[3:0]	
Factory Def	ault	1	0	1	0		va	ries	
\$CF	CRC_F_C	LOCK_F_C	RE	GC_BLOCKID[2	2:0]		CRC_F	C[3:0]	
Factory Def	ault	1	0	1	1		va	ries	
\$DF	CRC_F_D	LOCK_F_D	RE	GD_BLOCKID[2	2:0]		CRC_F	=_D[3:0]	
Factory Def	ault	1	1	0	1		va	ries	
\$EF	CRC_F_E	LOCK_F_E	RE	GE_BLOCKID[2	2:0]		CRC_F	F_E[3:0]	
Factory Def	ault	0	0	0	0	0	0	0	0
\$FF	CRC_F_F	LOCK_F_F	RE	GF_BLOCKID[2	2:0]		CRC_I	F_F[3:0]	
Factory Def	ault	0	0	0	0	0	0	0	0

#### Table 103. Lock and CRC Register bit definitions

### 7.7.34 Reserved registers

A register read command to a reserved register or a register with reserved bits results in a valid response. The data for reserved bits may be '0' or '1'.

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

A register write command to a reserved register or a register with reserved bits executes and results in a valid response. The data for the reserved bits may be '0' or '1'. A write to the reserved bits must always be '0' for normal device operation and performance.

#### 7.7.35 Invalid register addresses

A register read command to a register address outside of the addresses listed in <u>Section 7.6 "User-accessible data array"</u> results in a valid response. The data for the registers will be '00h'.

A register write command to a register address outside of the addresses listed in <u>Section 7.6 "User-accessible data array"</u> will not execute, but results in a valid response. The data for the registers will be '00h'.

A register write command to a read-only register will not execute, but results in a valid response. The data for the registers is the current content of the registers.

#### 7.8 Read/write register array CRC verification

The writable registers (all registers with the exception of the DEVLOCK\_WR register) are verified by a continuous 4-bit CRC that is calculated on the entire array once ENDINIT is set. The CRC verification uses a generator polynomial of  $g(x) = X^4 + X^3 + 1$ , with a seed value = '0000'.

### 8 Maximum ratings

Absolute maximum ratings are the limits the device can be exposed to without permanently damaging it. Absolute maximum ratings are stress ratings only; functional operation at these ratings is not guaranteed. Exposure to absolute maximum ratings conditions for extended periods might affect device reliability.

This device contains circuitry to protect against damage due to high static voltage or electrical fields. NXP advises that normal precautions be taken to avoid application of any voltages higher than maximum-rated voltages to this high-impedance circuit.

Symbol	Parameter	Conditions		Min	Мах	Unit
VCC <sub>MAX</sub>	Supply Voltage	V <sub>CC</sub> , V <sub>CCIO</sub>	[1]	—	+6.0	V
V <sub>IOMAX</sub>		INT, TESTx, SS_B, SCLK/SCL, MOSI , MISO/SDA	[1]	-0.3	V <sub>CC</sub> + 0.3	V
h <sub>DROP</sub>	Drop shock	To concrete, tile or steel surface, 10 drops, any orientation	[2]	—	1.2	m
T <sub>stg</sub>	Temperature range	Storage	[2]	-40	+130	°C
TJ		Junction	[2] [3]	-40	+150°C	°C
P <sub>MAX</sub>	Maximum absolute	Continuous (tested at 10 s)	[2]	—	150	kPa
P <sub>BURST</sub>	pressure	Burst (tested at 100 ms)	[2]	—		kPa
P <sub>MIN</sub>	Minimum absolute pressure	Continuous	[4]	—	40	kPa
f <sub>SEAL</sub>	Pressure sealing force	Applied to top face of package	[3]	—	10	Ν
θ <sub>JA</sub>	Thermal resistance		[3] [5]	_	120	°C/W

Table 104. Maximum ratings

FXPS7115D4 Product data sheet

## **FXPS7115D4**

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Symbol	Parameter	Conditions		Min	Max	Unit
ESD and latch-up pro	tection characteristics					
V <sub>ESD</sub>	Electrostatic discharge (per AEC-Q100)	Human body model (HBM) (100 pF, 1.5 kΩ)	[2]	-2000	2000	V
V <sub>ESD</sub>	_	Charge device model (CDM) (0 Ω)	[2]	-500	500	V

Parameter verified by characterization.

[1] [2] [3] Parameter verified by qualification testing. Functionality verified by modeling, simulation and/or design verification.

Parameter verified by functional evaluation.

[4] [5] Thermal resistance provided with device mounted to a two-layer, 1.6 mm FR-4 PCB as documented in AN1902 with one signal layer and one ground layer.



Caution This device is sensitive to mechanical shock. Improper handling can cause permanent damage to the part.

Caution



This is an ESD sensitive device. Improper handling can cause permanent damage to the part.

#### **Operating range** 9

#### Table 105. Electrical characteristics—supply and I/O

 $V_{CC\_min} \le (V_{CC} - V_{SS}) \le V_{CC\_max}, T_L \le T_A \le T_H, \Delta T \le 25 \text{ °C/min}, unless otherwise specified.$ 

Symbol	Parameter	Conditions		Min	Max	Units
V <sub>CC</sub>	Supply voltage	Measured at V <sub>CC</sub>	[1] [2] [3]	3.10	5.25	V
T <sub>A</sub>	Operating temperature range	Temperature = $-40$ °C and 130 °C , V <sub>CC</sub> = 3.1 V, unless otherwise stated. Production tested operating temperature range	[4]	T <sub>L</sub> 40	T <sub>H</sub> +130	°C
T <sub>A</sub>		Guaranteed operating temperature range	[1] [2] [3]	-40	+130	°C
V <sub>CC_RAMP_SPI</sub>	Supply power on ramp rate		[2]	0.00001	10	V/µs

Parameter verified by qualification testing. [1]

[2] Parameter verified by characterization.

[4] Functionality verified by modeling, simulation and/or design verification.

Parameter tested 100 % at final test.

Digital Absolute Pressure Sensor, 40 to 115 kPa

### **10 Static characteristics**

#### Table 106. Static characteristics

 $V_{CC\_min} \le (V_{CC} - V_{SS}) \le V_{CC\_max}, T_L \le T_A \le T_H, \Delta T \le 25 \text{ °C/min, unless otherwise specified.}$ 

Symbol	Parameter	Condition		Min	Тур	Max	Units
Supply and I/	0						
I <sub>IH</sub>	Input current high	At V <sub>IH</sub> ; SCLK/SCL	[1] [2]	10	20	70	μA
IIL	Input current low	At V <sub>IL</sub> ; SS_B	[1] [2]	-70	-20	-10	μA
I <sub>MISO_Lkg</sub>	MISO output leakage		[2]	-5		5	μA
I <sub>q_31</sub>	Quiescent supply current	V <sub>CC</sub> = 3.1 V	[1] [2]	—	_	8.0	mA
V <sub>CC_UV_F</sub>	Low-voltage detection threshold	V <sub>CC</sub> falling	[1] [2]	2.64	2.74	2.84	V
V <sub>I_HYST</sub>	Input voltage hysteresis	SCLK/SCL, SS_B, MOSI	[1]	0.125	_	0.500	V
V <sub>IH</sub>	Input high voltage	SCLK/SCL, SS_B, MOSI	[1] [2]	2.0	—	—	V
V <sub>IL</sub>	Input low voltage	SCLK/SCL, SS_B, MOSI	[1] [2]	—	—	1.0	V
V <sub>INT/_OH</sub>	Output high voltage	Ι <sub>Load</sub> = -100 μΑ	[1] [2]	V <sub>CC</sub> – 0.35	—	V <sub>CC</sub>	V
V <sub>INT / _OL</sub>	Output low voltage	Ι <sub>Load</sub> = 100 μΑ	[1] [2]		-	0.1	V
V <sub>OH</sub>	Output high voltage	MISO/SDA, I <sub>Load</sub> = –1 mA	[1] [2]	V <sub>CC</sub> – 0.2	-	—	V
V <sub>REGA</sub>	Internally regulated voltage		[1] [2]	2.85	3.00	3.15	V
Temperature	sensor signal chain	l		1			
T <sub>RANGE</sub>	Temperature measurement range		[3] [4]	-50	—	+160	°C
T <sub>25</sub>	Temperature output	At 25 °C	[2] [3]	83	93	103	LSB
T <sub>RANGE</sub>	Range of output (8-bit)	Unsigned temperature	[3] [4] [5]	0	-	255	LSB
T <sub>SENSE</sub>	Temperature output sensitivity (8-bit)		[2] [3]	—	1.00		LSB/°C
T <sub>ACC</sub>	Temperature output accuracy (8-bit)		[2] [3]	-10	-	+10	°C
T <sub>RMS</sub>	Temperature output noise RMS (8-bit)	Standard deviation of 50 readings, $f_{Samp} = 8 \text{ kHz}$	[2] [3]	—	—	+2	LSB
Absolute pres	ssure sensor signal chain						
P <sub>ABS</sub>	Absolute pressure range		[2] [3]	40	-	115	kPa
P <sub>SENS</sub>	Absolute pressure output sensitivity	P_CAL_ZERO = 0h Temperature = $-40$ °C and 130 °C, V <sub>CC</sub> = 3.1 V. 12-bit at 0 Hz, tested at P <sub>ABS</sub> = 100 kPa ± 10 % and 110 kPa ± 10 %	[6]		46.64		LSB/kPa

## **FXPS7115D4**

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Symbol	Parameter	Condition		Min	Тур	Мах	Units
P <sub>ACC_HIT</sub>	Absolute pressure accuracy <sup>[7]</sup>	Temperature = -40 °C and 130 °C, $V_{CC}$ = 3.1 V. 85 °C < T <sub>A</sub> ≤ 130 °C	[6] [8]	-1.75		+1.75	kPa
P <sub>ACC_Typ</sub>	Absolute pressure accuracy <sup>[7]</sup>	Temperature = -40 °C and 130 °C, $V_{CC}$ = 3.1 V. 0° C ≤ $T_A$ ≤ 85 °C	[6] [8]	-1.25		+1.25	kPa
P <sub>ACC_Lot</sub>	Absolute pressure accuracy <sup>[7]</sup>	Temperature = -40 °C and 130 °C, $V_{CC}$ = 3.1 V. -40 °C ≤ $T_A$ < 0 °C	[6] [8]	-1.75		+1.75	kPa
P <sub>ABS_DErr</sub>	Absolute pressure output range	Digital error response	[3]		0	-	LSB
$P_{ABS_DRng}$	Absolute pressure output range	Digital, 12-bit	[3]	1	-	4095	LSB
$P_{ABS_DRng}$	Absolute pressure output range	Digital error response	[3]	—	0	—	LSB
PABS <sub>DNL</sub>	Absolute pressure nonlinearity	Absolute pressure DNL, 12-bit monotonic with no missing codes	[2]	—	—	+1	LSB
PABS <sub>INL</sub>	Absolute pressure nonlinearity	Absolute pressure INL, 12-bit (least squares BFSL)	[2]	—	—	+20	LSB
PABS <sub>Peak</sub>	Absolute pressure noise peak (12-bit)	Temperature = -40 °C and 130 °C, V <sub>CC</sub> = 3.1 V. Maximum deviation from mean, 50 readings, f <sub>Samp</sub> = 8 kHz, LPF = 800Hz, 4-pole	[6]	-8	—	+8	LSB
PABS <sub>RMS</sub>	Absolute pressure noise RMS (12-bit)	Temperature = $-40$ °C and 130 °C, V <sub>CC</sub> = 3.1 V. Standard deviation of 50 readings, f <sub>Samp</sub> = 8 kHz, LPF = 800 Hz, 4-pole	[6]		-	+2	LSB
P <sub>OFF_D12</sub>	Absolute pressure offset	ZERO = $0h$ ,	[3] [6] [4]	—	299	_	LSB
PSC <sub>3</sub> PSC <sub>SPI3</sub>	Digital power supply coupling	$C_{VCC}$ = 0.1 µf, 12-bit data 1 kHz $\leq$ f_n $\leq$ 100 MHz, V_{CC} = 3.3 V $\pm$ 0.1 V	[2]			2	LSB
PSC <sub>5</sub> PSC <sub>SPI5</sub>	Digital power supply coupling	$C_{VCC}$ = 0.1 µf, 12-bit data 1 kHz ≤ f <sub>n</sub> ≤ 100 MHz, V <sub>CC</sub> = 5.0 V ± 0.1 V	[2]		_	2	LSB

[1] [2] [3] [4] [5] [6] [7] [8]

Parameter verified by pass/fail testing at final test. Parameter verified by characterization. Functionality verified by modeling, simulation and/or design verification. Parameter verified by functional evaluation. Circuit integrity assured through IDDQ and scan testing. Timing is determined by internal system clock frequency. Parameter tested 100 % at final test. See <u>Section 13</u> for accuracy over temperature and life, including nonlinearity, full scale = P<sub>ABS</sub> range. Parameter does not include lifetime drift. For complete pressure drift over temperature and life, review <u>Section 13</u>.

Digital Absolute Pressure Sensor, 40 to 115 kPa

### **11 Dynamic characteristics**

#### Table 107. Dynamic characteristics

 $V_{CC\_min} \le (V_{CC} - V_{SS}) \le V_{CC\_max}, T_L \le T_A \le T_H, \Delta T \le 25 \text{ °C/min}, unless otherwise specified.$ 

Symbol	Parameter	Condition		Min	Тур	Мах	Units
I <sup>2</sup> C							
tscl_100 tsclk_400 tsclk_1000	Clock (SCL) period (30 % of V <sub>CC</sub> to 30 % of V <sub>CC</sub> )	100 kHz mode         [1           400 kHz mode         [1           1000 kHz mode         [1	1]	9.50 2.37 1.00			µs µs µs
tsclh_100 tsclh_400 tsclh_1000	Clock (SCL) high time (70 % of $V_{CC}$ to 70 % of $V_{CC}$ )	400 kHz mode <sup>[1</sup>	1]	4.00 0.60 0.50			μs μs μs
t <sub>SCLL_100</sub> t <sub>SCLL_400</sub> t <sub>SCLL_1000</sub>	Clock (SCL) low time (30 % of $V_{CC}$ to 30 % of $V_{CC}$ )		1]	4.70 1.30 0.50			µs µs µs
tsrise_100 tsrise_400 tsrise_1000	Clock (SCL) and data (SDA) rise time (30 % of V <sub>CC</sub> to 70 % of V <sub>CC</sub> )	100 kHz mode         [1           400 kHz mode         [1           1000 kHz mode         [1	1] 1]	— — —		1000 300 120	ns ns ns
tsfall_100 tsfall_400 tsfall_1000	Clock (SCL) and data (SDA) fall time (70 % of V <sub>CC</sub> to 30 % of V <sub>CC</sub> )	100 kHz mode         [1           400 kHz mode         [1           1000 kHz mode         [1	1]	_		300 300 120	ns ns ns
t <sub>SETUP_100</sub> t <sub>SETUP_400</sub> t <sub>SETUP_1000</sub>	Data input setup time (SDA = $30/70 \%$ of V <sub>CC</sub> to SCL = $30 \%$ of V <sub>CC</sub> )	1000 kHz mode <sup>[1</sup>	1] 1]	250 100 50			ns ns ns
t <sub>HOLD_100</sub> t <sub>HOLD_400</sub> t <sub>HOLD_1000</sub>	Data input hold time (SCL = 70 % of $V_{CC}$ to SDA = 30/70 % of $V_{CC}$ )	400 kHz mode <sup>[1</sup>	1] 1] 1]	0		900 900 300	ns ns ns
tstartsetup_100 tstartsetup_400 tstartsetup_1000	Start condition setup time (SDA = $30/70$ % of V <sub>CC</sub> to SCL = $30$ % of V <sub>CC</sub> )	1000 kHz mode [1	1] 1]	4.70 0.60 0.26			µs µs µs
tstarthold_100 tstarthold_400 tstarthold_1000	Start condition hold time (SCL = 70 % of $V_{CC}$ to SDA = 30/70 % of $V_{CC}$ )		1] 1]	4.00 0.60 0.26			µs µs µs
tstopsetup_100 tstopsetup_400 tstopsetup_1000	Stop condition setup time (SDA = $30/70 \%$ of V <sub>CC</sub> to SCL = $30 \%$ of V <sub>CC</sub> )	400 kHz mode [1 1000 kHz mode [1	1] 1]	4.00 0.60 0.26			µs µs µs
t <sub>VALID_100</sub> t <sub>VALID_400</sub> t <sub>VALID_1000</sub>	SCLK low to data valid (SCL = 30 % of $V_{CC}$ to SDA = 30/70 % of $V_{CC}$ )	100 kHz mode         [1           400 kHz mode         [1           1000 kHz mode         [1	1]			3.45 0.90 0.45	µs µs µs
tFREE_100 tFREE_400 tFREE_1000	Bus free time (SDA = 70 % of V <sub>CC</sub> to SDA = 70 % of V <sub>CC</sub> )	400 kHz mode <sup>[1</sup>	1]	4.00 1.30 0.50			µs µs µs
C <sub>BUS</sub>	Bus capacitive load	[2] [3	3]			400	pF

FXPS7115D4 **Product data sheet** 

## FXPS7115D4

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Symbol	Parameter	Condition		Min	Тур	Max	Units
SPI							
t <sub>SCLK</sub>	Serial interface timing <sup>[4]</sup>	Clock (SCLK) period (10 % of V <sub>CC</sub> to 10 % of V <sub>CC</sub> )	[1]	90	_	_	ns
t <sub>SCLKH</sub>	Serial interface timing <sup>[4]</sup>	Clock (SCLK) period (90 % of V <sub>CC</sub> to 90 % of V <sub>CC</sub> )	[1]	30	_	—	ns
t <sub>SCLKL</sub>		Clock (SCLK) period (10 % of V <sub>CC</sub> to 10 % of V <sub>CC</sub> )	[1]	30	—	-	ns
t <sub>SCLKR</sub>	Serial interface timing <sup>[4]</sup>	Clock (SCLK) period (10 % of V <sub>CC</sub> to 90 % of V <sub>CC</sub> )	[2]	—	10	25	ns
t <sub>SCLKF</sub>		Clock (SCLK) period (90 % of V <sub>CC</sub> to 10 % of V <sub>CC</sub> )	[2]	_	10	25	ns
t <sub>LEAD</sub>	Serial interface timing <sup>[4]</sup>	SS_B asserted to SCLK high (SS_B = 10 % of $V_{CC}$ to SCLK = 10 % of $V_{CC}$ )	[1]	50	-	_	ns
t <sub>ACCESS</sub>	Serial interface timing <sup>[4]</sup>	SS_B asserted to SCLK high (SS_B = 10 % of V <sub>CC</sub> to MISO = 10/90 % of V <sub>CC</sub> )	[1]	_	-	50	ns
t <sub>SETUP</sub>	Serial interface timing <sup>[4]</sup>	SS_B asserted to SCLK high (MOSI = 10/90 % of $V_{CC}$ to SCLK = 10 % of $V_{CC}$ )	[1]	20	-	—	ns
t <sub>HOLD_IN</sub>	Serial interface timing <sup>[4]</sup>	MOSI data hold time (SCLK = 90 % of $V_{CC}$ to MOSI = 10/90 % of $V_{CC}$ )	[1]	10	-		ns
thold_out		MOSI data hold time (SCLK = 90 % of $V_{CC}$ to MISO = 10/90 % of $V_{CC}$ )	[1]	0	-	_	ns
t <sub>VALID</sub>	Serial interface timing <sup>[4]</sup>	SCLK low to data valid (SCLK = 10 % of V <sub>CC</sub> to MISO = 10/90 % of V <sub>CC</sub> )	[1]	—	-	30	ns
t <sub>LAG</sub>	Serial interface timing <sup>[4]</sup>	SCLK low to SS_B high (SCLK = 10 % of $V_{CC}$ to SS_B = 90 % of $V_{CC}$ )	[1]	60	-	_	ns
t <sub>DISABLE</sub>	Serial interface timing <sup>[4]</sup>	SS_B high to MISO disable (SS_B = 90 % of V <sub>CC</sub> to MISO = Hi Z)	[1]	_	-	60	ns

## FXPS7115D4

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Symbol	Parameter	Condition		Min	Тур	Max	Units
t <sub>SSN</sub>	Serial interface timing <sup>[4]</sup>	$\begin{array}{l} \text{SS}\_\text{B high to SS}\_\text{B} \\ \text{low (SS}\_\text{B} = 90 \ \% \ \text{of} \\ \text{V}_{\text{CC}} \ \text{to SS}\_\text{B} = 90 \ \% \\ \text{of V}_{\text{CC}} \end{array}$	[1]	500		-	ns
t <sub>SLKSS</sub>	Serial interface timing <sup>[4]</sup>	$\begin{array}{l} \text{SCLK low to SS}\_B\\ \text{low (SCLK = 10 \% of}\\ \text{V}_{\text{CC}} \text{ to SS}\_B = 90 \%\\ \text{of V}_{\text{CC}} \end{array}$	[1]	50		-	ns
t <sub>SSCLK</sub>	Serial interface timing <sup>[4]</sup>	$\begin{array}{l} \text{SS}\_\text{B high to SCLK} \\ \text{high (SS}\_\text{B} = 90 \ \% \\ \text{of } V_{\text{CC}} \text{ to SCLK} = 90 \\ \% \text{ of } V_{\text{CC}} ) \end{array}$	[2]	50		_	ns
t <sub>LAT_SPI</sub>	Data latency		[2] [5]	_	_	1	ns
Signal chain		J		1	I	I	
t <sub>SigChain</sub>	P <sub>ABS</sub> low-pass filter	Signal chain sample time	[2] [5]	—	48	_	μs
f <sub>c0</sub>		Cutoff frequency, filter option #0, 4- pole	[2] [5] [6]		800		Hz
f <sub>c1</sub>		Cutoff frequency, filter option #1, 4- pole	[2] [5] [6]	_	1000	_	Hz
t <sub>SigDelay</sub>	Signal delay (sinc filter to output delay, excluding the P <sub>ABS</sub> LPF)		[2] [5]		-	128	μs
t <sub>ST_INIT</sub>	P <sub>ABS</sub> startup common mode verification test time		[2] [5]	—		20	ms
tst_cmcont	P <sub>ABS</sub> continuous common mode verification response time P <sub>ABS</sub> error equivalent to 50 kPa		[2] [5]			4	S
t <sub>ST_Resp_1000_4</sub>	Self-test response time: self- test activation/deactivation to final value	LPF = 1000 Hz, 4- pole	[2] [5]		-	2.016	ms
t <sub>ST_FP_Resp</sub>	Fixed pattern response time: self-test activation/ deactivation		[2] [5]	_	-	100	μs
f <sub>Package</sub>	Package resonance frequency		[2]	100	_	_	kHz

## FXPS7115D4

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

Symbol	Parameter	Condition		Min	Тур	Max	Units
Supply and suppor	t circuitry	1					
t <sub>VCC_POR</sub>	Reset recovery (all modes, excluding V <sub>CC</sub> voltage ramp	V <sub>CC</sub> = V <sub>CCMIN</sub> to POR release	[2] [5] [6]	_	—	1	ms
t <sub>POR_I2C/POR_SPI</sub>	time)	POR to first SPI command	[2] [5] [6]	0.400		0.700	ms
t <sub>POR_DataValid</sub>	_	POR to sensor data valid	[2] [5] [6]	_		6	ms
t <sub>RANGE_</sub> DataValid		DSP setting change to sensor data valid	[2] [5] [6]	-		6	ms
t <sub>SOFT_RESET_I2C</sub>	Soft reset activation time, command complete to reset (no ACK follows)		[2] [5]	_	-	700	ns
t <sub>SOFT_RESET_SPI</sub>	Soft reset activation time, SS_ B high to reset		[2] [5]	-	—	700	ns
t <sub>CC_POR</sub>	V <sub>CC</sub> undervoltage detection delay		[2]	-	-	5	μs
t <sub>UVOV_RCV</sub>	Undervoltage/overvoltage recovery delay		[2]	-	100	_	μs

[1] Parameter verified by characterization.

[2] Functionality verified by modeling, simulation and/or design verification.

[3] Parameter verified by functional evaluation
 [4] See Section 7.5.6, C<sub>MISO</sub> ≤ 80 pF, R<sub>MISO</sub> ≥ 10 kΩ

[4] See Section 7.5.0, C<sub>MISO</sub> > 60 pr, R<sub>MISO</sub> > 10 kΩ
 [5] Circuit integrity assured through IDDQ and scan testing. Timing is determined by internal system clock frequency.

[6] Parameter verified by functional evaluation.

### 12 Media compatibility—pressure sensors only

For more information regarding media compatibility information, contact your local sales representative.

### **13** Pressure sensor accuracy (drift over temperature and life)

The absolute pressure accuracy is specified in Figure 23 and Figure 24.

Figure 23 shows the absolute pressure drift over the entire specified temperature range. The absolute pressure drift over temperature is guaranteed by production testing.

<u>Figure 24</u> shows a multiplying factor that accounts for the life time drift of the pressure sensor. The results in <u>Figure 24</u> have been obtained by qualification testing to conform to the AEC-Q100<sup>[2]</sup> standards.

As an example, at room temperature, the worst case drift that the pressure sensor might have after accounting for lifetime performance is  $(1 \text{ kPa} \times \text{multiplying factor}) = 2 \text{ kPa}$ .

#### Digital Absolute Pressure Sensor, 40 to 115 kPa





### **14 Application information**

The FXPS7115D4 sensor can operate in two modes:  $I^2C$  and SPI. The application diagrams in <u>Figure 25</u> and <u>Figure 26</u> show the modes and their respective biasing and bypass components.

The sensor can be configured to operate in SPI mode to read the user registers, self-test and diagnostics information. The application diagram in <u>Figure 26</u> shows the SPI and the respective biasing and bypass components.

### Digital Absolute Pressure Sensor, 40 to 115 kPa



Figure 25. I<sup>2</sup>C application diagram of FXPS7115D4

#### Table 108. External component recommendations for I<sup>2</sup>C

Name	Туре	Description	Purpose	
C1	Ceramic	0.1 µF, 10 %, 10 V minimum, X7R	V <sub>CC</sub> power supply decoupling	
R1	General purpose	1000 Ω, 5 %, 200 PPM	I <sup>2</sup> C selection pin pull-up resistor	
R2	General purpose	1000 Ω, 5 %, 200 PPM	Serial clock pull-up resistor	
R3	General purpose	1000 Ω, 5 %, 200 PPM	Serial data pull-up resistor	



#### Table 109. External component recommendations for SPI

Name	Туре	Description	Purpose
C1	Ceramic	0.1 µF, 10 %, 10 V minimum, X7R	V <sub>CC</sub> power supply decoupling

Digital Absolute Pressure Sensor, 40 to 115 kPa

### 15 Package outline



## **FXPS7115D4**

Digital Absolute Pressure Sensor, 40 to 115 kPa



Digital Absolute Pressure Sensor, 40 to 115 kPa

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.

3 COPLANARITY APPLIES TO LEADS AND DIE ATTACH PAD.

 $\underline{\cancel{A}}$  dimension applies only for terminals.

5. MIN METAL GAP SHOULD BE 0.2 MM.

	© NXP SEMICONDUC	FORS N.V. ALL RIGHTS RESE	ERVED	DATE: 1	7 JAN 2018
	MECHANICAL OUTLINE	STANDARD:	DRAWING NUMBER:	REVISION:	
	PRINT VERSION NOT TO SCALE	NON-JEDEC	SOT1573-1	В	
Figure 2	29. Package outline note HQFN (	SOT1573-1)			

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

### **16 References**

- [1] Assembly guidelines for quad flat no-lead (HQFN) and small outline no-lead (SON) packages NXP Application Note (AN) 1902, Rev. 8.0 - 6 February 2018, 51 pages, <u>https://www.nxp.com/docs/en/application-note/AN1902.pdf</u>
- [2] Failure Mechanism Based Stress Test Qualification For Integrated Circuits AEC Component Technical Committee document AEC-Q100, Rev - H, September 11, 2014, 48 pages, <u>http://www.aecouncil.com/Documents/AEC\_Q100\_Rev\_H\_Base\_Document.pdf</u>
- [3] I<sup>2</sup>C-Bus specification and user manual NXP User Manual (UM) 10204, Rev. 6 4 April 2014, 64 pages, https://www.nxp.com/docs/en/user-guide/UM10204.pdf

### **17 Revision history**

#### Table 110. Revision history

Document ID	Release date	Data sheet status	Change notice	Supercedes
FXPS7115D4 v.1	20180816	Product data sheet	-	-

#### Digital Absolute Pressure Sensor, 40 to 115 kPa

### 18 Legal information

### 18.1 Data sheet status

Document status <sup>[1][2]</sup>	Product status <sup>[3]</sup>	Definition
Objective [short] data sheet	Development	This document contains data from the objective specification for product development.
Preliminary [short] data sheet	Qualification	This document contains data from the preliminary specification.
Product [short] data sheet	Production	This document contains the product specification.

Please consult the most recently issued document before initiating or completing a design. [1]

[2] [3] The term 'short data sheet' is explained in section "Definitions".

The product status of device(s) described in this document may have changed since this document was published and may differ in case of multiple devices. The latest product status information is available on the Internet at URL http://www.nxp.com.

### **18.2 Definitions**

Draft — The document is a draft version only. The content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included herein and shall have no liability for the consequences of use of such information

Short data sheet — A short data sheet is an extract from a full data sheet with the same product type number(s) and title. A short data sheet is intended for quick reference only and should not be relied upon to contain detailed and full information. For detailed and full information see the relevant full data sheet, which is available on request via the local NXP Semiconductors sales office. In case of any inconsistency or conflict with the short data sheet, the full data sheet shall prevail.

Product specification — The information and data provided in a Product data sheet shall define the specification of the product as agreed between NXP Semiconductors and its customer, unless NXP Semiconductors and customer have explicitly agreed otherwise in writing. In no event however, shall an agreement be valid in which the NXP Semiconductors product is deemed to offer functions and qualities beyond those described in the Product data sheet.

### **18.3 Disclaimers**

Limited warranty and liability - Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors. In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory. Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors

Right to make changes - NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without

notice. This document supersedes and replaces all information supplied prior to the publication hereof.

 $\ensuremath{\mathsf{Applications}}$  — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification. Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products. NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect

Limiting values — Stress above one or more limiting values (as defined in the Absolute Maximum Ratings System of IEC 60134) will cause permanent damage to the device. Limiting values are stress ratings only and (proper) operation of the device at these or any other conditions above those given in the Recommended operating conditions section (if present) or the Characteristics sections of this document is not warranted. Constant or repeated exposure to limiting values will permanently and irreversibly affect the quality and reliability of the device.

Terms and conditions of commercial sale - NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at http://www.nxp.com/profile/terms, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

No offer to sell or license - Nothing in this document may be interpreted or construed as an offer to sell products that is open for acceptance or the grant, conveyance or implication of any license under any copyrights, patents or other industrial or intellectual property rights.

Suitability for use in automotive applications - This NXP Semiconductors product has been qualified for use in automotive applications. Unless otherwise agreed in writing, the product is not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected

FXPS7115D4 **Product data sheet** 

## FXPS7115D4

### Digital Absolute Pressure Sensor, 40 to 115 kPa

to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk.

**Export control** — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

**Translations** — A non-English (translated) version of a document is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

### **18.4 Trademarks**

Notice: All referenced brands, product names, service names and trademarks are the property of their respective owners.

Digital Absolute Pressure Sensor, 40 to 115 kPa

### **Tables**

Tab. 1. Tab. 2. Tab. 3.	Ordering information2 Ordering options2 Pin description4
Tab. 4.	Self-test control register
Tab. 5.	Self-test control bits for sense data fixed
140.0.	value verification
Tab. 6.	IIR low pass filter coefficients10
Tab. 7.	Temperature conversion variables
Tab. 8.	Sensor data register read wrap-around
140.0.	description
Tab. 9.	SPI command format
Tab. 10.	SPI command bit allocation
Tab. 10.	SPI response format
Tab. 12.	Register read command message format 22
Tab. 13.	Register read command message bit field
140.10.	descriptions
Tab. 14.	Register read response message format 22
Tab. 15.	Register read response message bit field
100.10.	descriptions
Tab. 16.	Register write command message format 23
Tab. 17.	Register write command message bit field
100.17.	descriptions
Tab. 18.	Register write response message format
Tab. 10. Tab. 19.	Register write response message bit field
140.15.	descriptions
Tab. 20.	Sensor data request command message
100.20.	format
Tab. 21.	Sensor data request command message bit
100.21.	field descriptions
Tab. 22.	Sensor data request response message
140.22.	format
Tab. 23.	Sensor data request response message bit
140.20.	field descriptions
Tab. 24.	Reserved command message format
Tab. 25.	Reserved command message bit field
	descriptions
Tab. 26.	Reserved command response message
140.20.	format
Tab. 27.	Reserved command response message bit
140.21.	field descriptions
Tab. 28.	SPI Command Message CRC
Tab. 29.	SPI Response Message CRC27
Tab. 30.	Basic status field for responses to register
140.00.	commands
Tab. 31.	Error responses bit field descriptions
Tab. 32.	User-accessible data — sensor specific
	information
Tab. 33.	COUNT - rolling counter register (address
	00h) bit allocation
Tab. 34.	DEVSTAT - device status register (address
	01h) bit allocation
Tab. 35.	DEVSTAT - device status register (address
	01h) bit description
Tab. 36.	DEVSTAT1 - device status register (address
	02h) bit allocation
	· , · ································

Tab. 37.	DEVSTAT1 - device status register (address
Tab. 38.	02h) bit description34 DEVSTAT2 - device status register (address
	03h) bit allocation
Tab. 39.	DEVSTAT2 - device status register (address 03h) bit description35
Tab. 40.	DEVSTAT3 - device status register (address
	04h) bit allocation
Tab. 41.	DEVSTAT3 - device status register (address
Tab. 42.	04h) bit description
Tap. 42.	(address 0Eh) bit allocation
Tab. 43.	DEVLOCK WR - lock register writes
100. 10.	register (address 10h) bit allocation
Tab. 44.	DEVLOCK WR - lock register writes
	register (address 10h) bit description
Tab. 45.	Device reset command sequence
Tab. 46.	UF_REGION_W - UF region selection
	register (address 14h) bit allocation
Tab. 47.	UF_REGION_R - UF region selection
T 1 40	register (address 15h) bit allocation
Tab. 48.	REGION_LOAD Bit Definitions
Tab. 49. Tab. 50.	REGION_ACTIVE Bit Definitions
Tap. 50.	(address 16h) bit allocation
Tab. 51.	COMMTYPE - communication type register
	(address 16h) bit description40
Tab. 52.	SOURCEID_0 - source identification
<b>T</b> 1 50	register (address 1Ah) bit allocation40
Tab. 53.	SOURCEID_1 - source identification
Tab. 54.	register (address 1Bh) bit allocation40 TIMING_CFG - communication timing
Tab. 0 <del>4</del> .	register (address 22h) bit allocation
Tab. 55.	SPI_CFG Register (address 3Dh) bit
	allocation
Tab. 56.	DATASIZE Bit Definition 41
Tab. 57.	SPI CRC Definition41
Tab. 58.	WHO_AM_I - device identification register
	(address 3Eh) bit allocation42
Tab. 59.	WHO_AM_I register values42
Tab. 60.	I2C_ADDRESS - I2C slave address register
T-6 04	(address 3Fh) bit allocation
Tab. 61. Tab. 62.	Self Test Control Bits (ST_CTRL[3:0])
Tap. 02.	register (address 40h) bit allocation
Tab. 63.	Low-pass filter selection bits (LPF[3:0])43
Tab. 64.	User range selection bits (USER
140.01.	RANGE[1:0])
Tab. 65.	DSP CFG U4 - DSP user configuration #4
	register (address 43h) bit allocation
Tab. 66.	DSP_CFG_U4 - DSP user configuration #4
	register (address 43h) bit description44
Tab. 67.	DSP_CFG_U5 - DSP user configuration #5
T 1 00	register (address 44h) bit allocation
Tab. 68.	DSP_CFG_U5 - DSP user configuration #5
	register (address 44h) bit description45

### Digital Absolute Pressure Sensor, 40 to 115 kPa

Tab. 69.	Self-test control bits 45
Tab. 70.	INT_CFG - interrupt configuration register
	(address 45h) bit allocation
Tab. 71.	INT CFG - interrupt configuration register
	(address 45h) bit description46
Tab. 72.	P INT HI, P INT LO - interrupt window
	comparator threshold registers (address 46h
	to 49h) bit allocation
Tab. 73.	Threshold register values47
Tab. 74.	P CAL ZERO - pressure calibration
	registers (address 4Ch, 4Dh) bit allocation47
Tab. 75.	DSP_STAT - DSP specific status register
	(address 60h) bit allocation
Tab. 76.	DSP_STAT - DSP specific status register
	(address 60h) bit description48
Tab. 77.	DEVSTAT COPY - device status copy
	register (address 61h) bit allocation
Tab. 78.	SNSDATA0 L, SNSDATA0 H - sensor data
	#0 registers (addresses 62h, 63h) bit
	allocation
Tab. 79.	SNSDATA1 L, SNSDATA1 H - sensor data
	#1 registers (address 64h, 65h) bit allocation49
Tab. 80.	SNSDATA0 TIMEx - time stamp register
	(address 66h to 6Bh) bit allocation
Tab. 81.	SNSDATA0_TIMEx - time stamp register
	(address 66h to 6Bh) bit allocation51
Tab. 82.	FRT - free running timer registers
	(addresses 78h to 7Dh) bit allocation
Tab. 83.	Range Indication Bits (RANGE[3:0])
Tab. 84.	IC TYPE REGISTER (ICTYPEID address
	C0h) bit allocation
Tab. 85.	IC MANUFACTURER REVISION
	REGISTER (ICREVID address C1h) bit
	allocation
Tab. 86.	IC MANUFACTURER IDENTIFICATION
	REGISTER (ICMFGID address C2h) bit
	allocation53

Tab. 87.	PN0 Register (address C4h) bit allocation53
Tab. 88.	PN1 Register (address C5h) bit allocation53
Tab. 89.	SN0 Register (address C6h) bit allocation53
Tab. 90.	SN1 Register (address C7h) bit allocation54
Tab. 91.	SN2 Register (address C8h) bit allocation54
Tab. 92.	SN3 Register (address C9h) bit allocation54
Tab. 93.	SN4 Register (address CAh) bit allocation 54
Tab. 94.	ASICWFR# Register (address CBh) bit
	allocation
Tab. 95.	ASICWFR_X Register (address CCh) bit
	allocation54
Tab. 96.	ASICWFR_Y Register (address CDh) bit
	allocation
Tab. 97.	ASICWLOT_L Register (address D0h) bit
	allocation
Tab. 98.	ASICWLOT_H Register (address D1h) bit
	allocation
Tab. 99.	TRNS1WFR_X Register (address D2h) bit
<b>T</b> 1 400	allocation
Tab. 100.	TRNS1WFR_Y Register (address D3h) bit
<b>T</b> 1 404	allocation
Tab. 101.	TRNS1LOT_L Register (address D4h) bit
T 1 400	allocation
Tab. 102.	TRNS1LOT_H Register (address D5h) bit
T 1 400	allocation
	Lock and CRC Register bit definitions
	Maximum ratings
	Electrical characteristics—supply and I/O 58
	Static characteristics
	Dynamic characteristics
Tab. 108.	External component recommendations for
T 1 400	12C
Tab. 109.	External component recommendations for
T-6 440	SPI
Tap. 110.	Revision history70

## **Figures**

Fig. 1.	Block diagram of FXPS7115D4 3
Fig. 2.	Pin configuration for 16-pin HQFN
Fig. 3.	Voltage regulation and monitoring5
Fig. 4.	User-controlled PABS common mode self-
	test flowchart7
Fig. 5.	$\Sigma\Delta$ converter block diagram8
Fig. 6.	Signal chain diagram9
Fig. 7.	Sinc filter response9
Fig. 8.	800 Hz, 4-pole, low-pass filter response 11
Fig. 9.	800 Hz, 4-pole output signal delay11
Fig. 10.	1000 Hz, 4-pole, low-pass filter response 12
Fig. 11.	1000 Hz, 4-pole output signal delay12
Fig. 12.	Temperature sensor signal chain block
	diagram13
Fig. 13.	Common mode error detection signal chain
	block diagram14
Fig. 14.	I2C bit transmissions14
Fig. 15.	I2C start condition14

Fig. 16.	I2C byte transmissions	15
Fig. 17.	I2C acknowledge and not acknowledge	
0	transmission	16
Fig. 18.	I2C stop condition	
0		
Fig. 19.	I2C timing diagram	18
Fig. 20.	Standard 32-Bit SPI protocol timing diagram 7	19
Fig. 21.	SPI data output verification	28
Fig. 22.	SPI timing diagram	29
Fig. 23.	Absolute pressure accuracy as a function of	
		65
Fig. 24.	Absolute pressure accuracy multiplier over	
1 19. 24.		<u>с</u> г
	life	
Fig. 25.	I2C application diagram of FXPS7115D4	36
Fig. 26.	SPI application diagram for FXPS7115D46	36
Fig. 27.	Package outline HQFN (SOT1573-1)	37
Fig. 28.	Package outline detail HQFN (SOT1573-1) (	
Fig. 29.	Package outline note HQFN (SOT1573-1)	
5	5 · · · · · · · · · · · · · · · · · · ·	

Digital Absolute Pressure Sensor, 40 to 115 kPa

### Contents

2         Features and benefits         1         7.55.2         Error rn           3         Applications         2         7.55.3         SPI err           3.1         Automotive         2         7.55.4         SPI dar           3.2         Industrial         2         7.5.5.4         SPI dar           3.3         Medical/Consumer         2         7.5.6.4         SPI dar           3.3         Medical/Consumer         2         7.7         Register           4.1         Ordering information         2         7.7         Register           6.1         Pinning information         3         7.7.2         Device           6.2         Pin description         4         7.7.2.1         DEVST           7.1         Voltage regulators         4         7.7.2.2         DEVST           7.1         Voltage regulators         7         7.7.2.4         DEVST           7.1         Voltage regulators         7         7.7.2.4         DEVST           7.1         Voltage regulators         7         7.7.2.4         DEVST           7.3.1         Transducer         5         7.7.2.4         DEVST           7.3.2         Self-test functions	1	General description1	7.5.5.1	Basic s
3         Applications         2         7.5.5.3         SPI era           3.1         Automotive         2         7.5.6.4         SPI data           3.2         Industrial         2         7.5.6.6         SPI data           3.2         Industrial         2         7.5.6         SPI data           3.3         Medical/Consumer         2         7.6.6         User-a           4.1         Ordering options         2         7.7.7         Registe           5.1         Block diagram         3         7.7.2.1         DEVST           6.1         Pinning information         3         7.7.2.1         DEVST           6.1         Pin description         4         7.7.2.2         DEVST           7.1         Voltage regulators         4         7.7.2.3         DEVST           7.1         Voltage regulators         5         7.7.2.3         DEVST           7.1         Voltage regulators         6         7.7.2.3         DEVST           7.3.1         Transducer         5         7.7.2.3         DEVST           7.3.2         Self-test functions         6         7.7.3         TEMPE           7.3.2.2         Statrup digital self-test verificat				
3.1       Automotive       2       7.5.5.4       SPI data         3.2       Industrial       2       7.5.6       SPI data         3.3       Medical/Consumer       2       7.7       Registe         4.1       Ordering options       2       7.7       Registe         5       Block diagram       3       00h)       3       00h)         6       Pinning information       3       7.7.2       Device         6.1       Pinning information       3       7.7.2.1       DEVST         6.2       Pin description       4       7.7.2.2       DEVST         7.1       Voltage regulators       4       7.7.2.1       DEVST         7.1       Voltage regulators       5       7.7.2.4       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       7       7.7.4       DEVLO         7.3.2       Self-test functions       6       7.7.3       TEMPG         7.3.4       Digital signal processor (DSP)       9       7.7.6       COMM         7.3.4.2       Startup senso data fixed value verification       7       7.7.6       COMM <td< td=""><td></td><td></td><td></td><td></td></td<>				
3.2       Industrial       2       7.5.6       SPI tim         3.3       Medical/Consumer       2       7.6       User-au         4.0       Ordering information       2       7.7       Register         4.1       Ordering information       3       7.7.1       COUNT         5       Block diagram       3       00h)       3       7.7.2       Device         6.1       Pinning information       4       7.7.2.1       DEVST       6.1       Pin description       4       0th)       7.7.2.1       DEVST         7.1       Voltage regulators       4       7.7.2.2       DEVST       03h)       7.7.2.3       DEVST         7.1       Voltage regulators       5       7.7.2.3       DEVST       04h)       7.7.2.3       DEVST         7.3.1       Transducer       5       7.7.3       TEMPE       04h)       7.7.4       DEVLST         7.3.2       Self-test functions       6       7.7.3       TEMPE       7.7.4       DEVLST         7.3.4       Digital signal processor (DSP)       9       7.7.6       COMM       register         7.3.4       Digital signal processor (DSP)       9       7.7.7       SOUR       register				
3.3       Medical/Consumer       2       7.6       User-at         4       Ordering information       2       7.7       Registe         4.1       Ordering options       2       7.7       Registe         5       Block diagram       3       00h)       00h)         6       Pinning information       3       7.7.2       Device         6.1       Pinning information       4       7.7.2       Devise         6.2       Pin description       4       7.7.2       DEVST         7.1       Voltage regulators       4       02h)       7.7.2.3       DEVST         7.2       Internal oscillator       5       7.7.2.4       DEVST       03h)         7.3       Pressure sensor signal path       5       7.7.4       DEVST         7.3.1       Transducer       6       7.7.3       TEMPE         7.3.2       Satrup digital self-test verification       6       7.7.4       DEVST         7.3.3       Startup sense data fixed value verification       7       7.7.4       DEVL         7.3.4       Digital signal processor (DSP)       9       7.7.6       COMM         7.3.4.1       Decimation sinc filter       7.7.9       SOUF				
4         Ordering information         2         7.7         Registe           4.1         Ordering options         2         7.7         COUNT           5         Block diagram         3         00h)         00h)           6         Pinning information         3         7.7.2         Device           6.1         Pinning information         3         7.7.2         Device           6.1         Pin description         4         7.7.2.1         DEVST           7.1         Voltage regulators         4         7.7.2.2         DEVST           7.1         Voltage regulators         4         7.7.2.3         DEVST           7.1.1         Voltage regulators         5         7.7.2.3         DEVST           7.3.1         Transducer         5         03h)            7.3.1         Transducer         5         04h)            7.3.2.2         Startup digital self-test verification         6         7.7.4         DEVLC           7.3.4.1         Decimation sinc filter         9         7.7.6         COMM           7.3.4.2         Startup sensor signal chain         13         7.7.9         SPI Co           7.3.4.1 <td< td=""><td></td><td></td><td></td><td></td></td<>				
4.1       Ordering options       2       7.7.1       COUNT         5       Block diagram       300h)       00h)         6       Pinning information       3       7.7.2       Device         6.1       Pinning information       4       7.7.2.1       DEVST         6.2       Pin description       4       7.7.2.2       DEVST         7.1       Voltage regulators       4       7.7.2.2       DEVST         7.1       VOCC, VREG, VREGA, undervoltage monitor       5       7.7.2.4       DEVST         7.1       VCC, VREG, VREGA, undervoltage monitor       5       7.7.2.4       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       5       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       7       7.7.4       DEVLC         7.3.2.2       Startup sense data fixed value verification       7       7.7.4       DEVLC         7.3.3       Startup senso tignal train and compensation       10       (addres         7.3.4.3       Low-pass filter       10       7.7.7				-
5         Block diagram         3         00h)           6         Pinning information         3         7.7.2         Device           6.1         Pinning         3         7.7.2.1         Device           6.2         Pin description         4         7.7.2.1         DEVST           6.2         Pin description         4         7.7.2.1         DEVST           7.1         Voltage regulators         4         02h)         7.7.2.3         DEVST           7.2         Internal oscillator         5         03h)         7.7.2.3         DEVST           7.3         Tressure sensor signal path         5         7.7.2.4         DEVST           7.3.1         Transducer         7         7.7.4         DEVLC           7.3.2.1         PABS common mode verification         6         (addres           7.3.2.2         Startup sense data fixed value verification         8         (addres           7.3.4         Digital signal processor (DSP)         9         region         register           7.3.4         Low-pass filter         10         7.7.7         SOUR           7.3.5.1         Temperature sensor signal chain         13         7.7.9         SPI CC           <	-			•
6         Pinning information         3         7.7.2         Device           6.1         Pinning         3         7.7.2.1         DEVST           6.2         Pin description         4         01h)           7         Functional description         4         02h)           7.1         Voltage regulators         4         02h)           7.1         Voltage regulators         5         7.7.2.3         DEVST           7.1         Voltage regulators         5         7.7.2.4         DEVST           7.3         Pressure sensor signal path         5         7.7.2.4         DEVST           7.3.1         Transducer         5         04h)         7.7.4         DEVST           7.3.2         Self-test functions         6         7.7.3         TEMPF           7.3.2.3         Startup sense data fixed value verification         8         7.7.5         UF_RE           7.3.4         Digital signal processor (DSP)         9         7.7.6         COMM           7.3.4.2         Signal trim and compensation         10         7.7.7         SOUR           7.3.4.1         Deversatifier         9         7.7.6         COMM           7.3.5.2         Tempe			7.7.1	
6.1       Pinning       3       7.7.2.1       DEVST         6.2       Pin description       4       01h)       01h)         7       Functional description       4       7.7.2.2       DEVST         7.1       VOtage regulators       4       7.7.2.3       DEVST         7.1       VCC, VREG, VREGA, undervoltage monitor       5       7.7.2.3       DEVST         7.2       Internal oscillator       5       7.7.2.4       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       (addrest         7.3.2.2       Startup sense data fixed value verification       8       (addrest         7.3.4       Decimation sinc filter       9       7.7.6       COMM         7.3.4.1       Decimation sinc filter       10       7.7.7       SOUR         7.3.5.1       Temperature sensor signal chain       13       7.7.9       SPI Co         7.3.6       Common mode error detection signal chain       13       7.7.91       SPI Da         7.3.6       Common mode error detection signal chain       13       <			770	,
6.2       Pin description       4       7.7.2.2       DEVST         7.1       Voltage regulators       4       7.7.2.3       DEVST         7.1       Voltage regulators       4       7.7.2.3       DEVST         7.1       Voltage regulators       5       7.7.2.3       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       5       7.7.2.4       DEVST         7.3.2.2       Self-test functions       6       7.7.3       TEMPP         7.3.2.3       Startup digital self-test verification       7       7.7.4       DEVLC         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.1       Decimation sinc signal chain       13       7.7.9       SPI C         7.3.5.1       Temperature sensor signal chain       13       7.7.9       SPI C         7.3.6       Common mode error detection signal chain       13       7.7.9.2       SPI C         7.4.1       I2C bit transmission       15				
7       Functional description       4       7.7.2.2       DEVST         7.1       Voltage regulators       4       0.0h       0.0h       0.0h         7.1.1       VCC, VREG, VREGA, undervoltage monitor       5       7.7.2.3       DEVST         7.2       Internal oscillator       5       0.7.2.4       DEVST         7.3.1       Transducer       5       0.4h)       0.7.3.4         7.3.2       Self-test functions       6       7.7.3.4       DEVLST         7.3.2.1       PABS common mode verification       7       7.7.4       DEVLC         7.3.2.2       Startup digital self-test verification       7       7.7.4       DEVLC         7.3.2.3       Startup sense data fixed value verification       8       7.7.5       UF_RE         7.3.4       Digital signal processor (DSP)       9       7.7.6       COMM         7.3.4.1       Decimation sinc filter       10       7.7.7       SOURC         7.3.4.3       Low-pass filter       10       7.7.7       SOURC         7.3.4.4       Absolute pressure output data scaling equation       13       7.7.9       SPI CR         7.3.5       Temperature sensor signal chain       13       7.7.9.1       SPI CR			7.7.2.1	
7.1       Voltage regulators       4       02h)         7.1.1       VCC, VREG, VREGA, undervoltage monitor       5       7.7.2.3       DEVST         7.2       Internal oscillator       03h)       03h)       7.7.2.4       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       5       04h)       03h)       7.7.3       TEMPE         7.3.2       Self-test functions       6       7.7.3       TEMPE       (addrest         7.3.2.1       PABS common mode verification       6       7.7.4       DEVLC         7.3.2.2       Startup sense data fixed value verification       8       7.7.5       UF, RE         7.3.3       ZA converter       8       7.7.5       UF, RE         7.3.4       Digital signal processor (DSP)       9       register       register         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.1       Devess filter       10       7.7.7       SOURC         7.3.5       Temperature sensor signal chain       13       7.7.9       SPI Ca         7.3.5.1       Temperature sensor output scaling equation       13       7.7.10       SPI C			7700	,
7.1.1       VCC, VREG, VREGA, undervoltage monitor       5       7.7.2.3       DEVST         7.2       Internal oscillator       5       7.7.2.4       DEVST         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       04h)       7.7.2.4       DEVST         7.3.2       Self-test functions       6       7.7.3       TEMPE         7.3.2.3       Startup digital self-test verification       7       7.7.4       DEVLOT         7.3.2.3       Startup sense data fixed value verification       7       7.7.4       DEVLOT         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.2       Signal trim and compensation       10       7.7.7       SOUR         7.3.4.3       Low-pass filter       10       7.7.7       SOUR       register         7.3.5.1       Temperature sensor output data scaling equation       13       7.7.9       SPI Co         7.3.6       Common mode error detection signal chain       13       7.7.9.1       SPI Co         7.4.1       I2C bit transmissions       14       7.7.10       WHO         7.4.1       I2C box condition       14       7.7.12       DSP C	-		1.1.2.2	
7.2       Internal oscillator       5       03h)         7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       5       04h)       04h)         7.3.2       Self-test functions       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       7.7.3       TEMPE         7.3.2.2       Startup sense data fixed value verification       7       7.4       DEVLT         7.3.2.3       Startup sense data fixed value verification       7       7.4       DEVLT         7.3.4       Digital signal processor (DSP)       9       region 1       7.7.6       COMM         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM       (address         7.3.4.1       Devass filter       10       7.7.7       SOURC       register         7.3.4.4       Absolute pressure output data scaling       register       register       register         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9       SPI Co         7.3.5.2       Temperature sensor output scaling equation       13       7.7.9.2       SPI Co         7.4.1       I2C bit transmissions       14			7700	
7.3       Pressure sensor signal path       5       7.7.2.4       DEVST         7.3.1       Transducer       5       04h)       04h)         7.3.2       Self-test functions       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       7.7.3       TEMPE         7.3.2.2       Startup digital self-test verification       7       7.7.4       DEVLC         7.3.2.3       Startup sense data fixed value verification       8       7.7.5       UF_RE         7.3.3       Storoverter       8       7.7.6       COMM         7.3.4       Digital signal processor (DSP)       9       register       register         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.4       Absolute pressure output data scaling       register       register         7.3.5       Temperature sensor signal chain       13       7.7.9       SPI CG         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.2       SPI CF         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.2       SPI CF         7.4.1       12C bit transmissions       14       7.7.10       WHO			1.1.2.3	
7.3.1       Transducer       5       04h)         7.3.2       Self-test functions       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       7.7.3       TEMPE         7.3.2.3       Startup digital self-test verification       7       7.7.4       DEVLC         7.3.2.3       Startup sense data fixed value verification       7       7.7.4       DEVLC         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.2       Signal trim and compensation       10       7.7.7       SOURT         7.3.4.1       Decimation sinc filter       10       7.7.7       SOURT         7.3.4.3       Low-pass filter       10       7.7.7       SOURT         7.3.4.4       Absolute pressure output data scaling       register       register         9.3.5       Temperature sensor signal chain       13       7.7.9       SPI CA         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.1       SPI Da         7.4.1       12C bit transmissions       14       7.7.10       WHO       7.1         7.4.2       12C start condition       14       7.7.11       I2C_AB       (addrestras)       7.7.	· ·		7701	,
7.3.2       Self-test functions       6       7.7.3       TEMPE         7.3.2.1       PABS common mode verification       6       7.7.3       TEMPE         7.3.2.2       Startup digital self-test verification       7       7.7.4       DEVLO         7.3.2.3       Startup sense data fixed value verification       8       7.7.5       UF_RE         7.3.4       Digital signal processor (DSP)       9       region 1       7.7.6       COMM         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM       7.7.7       SOURT         7.3.4.1       Decimation sinc filter       10       7.7.7       SOURT       register         7.3.4.4       Absolute pressure output data scaling       register       register       register         .4.3.5       Temperature sensor output scaling equation       13       7.7.9       SPI CG         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.1       SPI Da         7.4.1       12C bit transmissions       14       7.7.9.1       SPI Da         7.4.1       12C bit transmissions       14       7.7.10       WHO         7.4.2       12C start condition       15       7.7.11       12C ALC       AC       AC			7.7.2.4	
7.3.2.1PABS common mode verification6(addrest7.3.2.2Startup digital self-test verification77.7.4DEVLO7.3.2.3Startup sense data fixed value verification8(addrest7.3.3\$\Delta Converter87.7.5UF_RE7.3.4Digital signal processor (DSP)9region7.3.4.1Decimation sinc filter97.7.6COMM7.3.4.2Signal trim and compensation107.7.7SOURG7.3.4.4Absolute pressure output data scalingequation127.7.8TIMINC7.3.5.1Temperature sensor signal chain137.7.9SPI CoCG, A7.3.5.2Temperature sensor output scaling equation137.7.9.1SPI Da7.4.4I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)7.7.11I2C_AC7.4.4I2C acknowledge and not acknowledge transmissions7.7.12DSP_CC7.4.5I2C top condition16V.X.V.X.V.X.7.4.6I2C register transfers177.7.12.3DSP_C7.4.5I2C bit least register read wrap around177.7.12.3DSP_C7.4.6.1Register write transfers167.7.12.1DSP_C7.4.6I2C register transfers177.7.12.3DSP_C7.5.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format217.7.13 <t< td=""><td></td><td></td><td>770</td><td></td></t<>			770	
7.3.2.2       Startup digital self-test verification       7       7.7.4       DEVLC         7.3.2.3       Startup sense data fixed value verification       8       7.7.5       UF_RE         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.2       Signal trim and compensation       10       7.7.7       SOURM         7.3.4.3       Low-pass filter       10       7.7.7       SOURM         7.3.4.4       Absolute pressure output data scaling equation       12       7.7.8       TiMINO         7.3.5.1       Temperature sensor       13       7.7.9       SPI Co         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.1       SPI Da         7.4.1       I2C bit transmissions       14       7.7.9.2       SPI Ca         7.4.1       I2C bit transmissions       14       7.7.9.1       SPI Da         7.4.4       I2C bote transmission       15       7.7.11       I2C Acknowledge and not acknowledge       (addres         7.4.6       I2C register transfers       16       7.7.12       DSP_C         7.4.5       I2C stop condition       16       7.7.12       DSP_C         7.4.5       I2C stop condition       16 <td< td=""><td></td><td></td><td>1.1.3</td><td></td></td<>			1.1.3	
7.3.2.3Startup sense data fixed value verification8(address7.3.4Digital signal processor (DSP)9region7.3.4.1Decimation sinc filter97.7.6COMM7.3.4.2Signal trim and compensation107.7.7SOURC7.3.4.3Low-pass filter107.7.7SOURC7.3.4.4Absolute pressure output data scaling equation127.7.8TIMINO7.3.5Temperature sensor137.7.9SPI CG7.3.5.1Temperature sensor output scaling equation137.7.9SPI CG7.3.5.2Temperature sensor output scaling equation137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CG7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition147.7.11I2C Address7.4.4I2C acknowledge and not acknowledge transmissions7.7.11I2C DSP_C7.4.5I2C stop condition16UX)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.5.3Command dormat19register7.5.4I2C timing diagram18register7.5.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.3Register read command217.7.13INT_CF7.5.3Register write command22 <td< td=""><td></td><td></td><td></td><td>•</td></td<>				•
7.3.3 $\Sigma\Delta$ converter87.7.5UF_RE7.3.4Digital signal processor (DSP)9region7.3.4.1Decimation sinc filter97.7.6COMM7.3.4.2Signal trim and compensation107.7.7SOURG7.3.4.3Low-pass filter107.7.7SOURG7.3.4.4Absolute pressure output data scaling equation127.7.8TIMINC7.3.5.1Temperature sensor signal chain137.7.9SPI CA7.3.5.2Temperature sensor output scaling equation137.7.9SPI CA7.3.6Common mode error detection signal chain137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CA7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)7.7.11I2C_AG7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP C7.4.5I2C stop condition167.7.12.2DSP_C7.4.6.1I2C register transfers167.7.12.1Self-tes7.4.6.2Register write transfers177.7.12.2DSP_C7.4.6.3Sensor data register read wrap around177.7.12.2DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command format217.7.13INT_CF7.5.4Error			1.1.4	_
7.3.4       Digital signal processor (DSP)       9       region :         7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.2       Signal trim and compensation       10       (addres         7.3.4.3       Low-pass filter       10       7.7.7       SOURC         7.3.4.4       Absolute pressure output data scaling       register         equation       12       7.7.8       TIMINO         7.3.5.1       Temperature sensor signal chain       13       7.7.9       SPI Cc         7.3.5.2       Temperature sensor output scaling equation       13       7.7.9.1       SPI Da         7.4.1       I2C bit transmissions       14       7.7.10       WHO				•
7.3.4.1       Decimation sinc filter       9       7.7.6       COMM         7.3.4.2       Signal trim and compensation       10       (addres         7.3.4.3       Low-pass filter       10       7.7.7       SOURG         7.3.4.4       Absolute pressure output data scaling       register         equation       12       7.7.8       TIMINO         7.3.5       Temperature sensor signal chain       13       7.7.9       SPI Co         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9.1       SPI Da         7.3.6       Common mode error detection signal chain       13       7.7.9.2       SPI Da         7.4       Inter-integrated circuit (I2C) interface       14       7.7.9.2       SPI Da         7.4.1       I2C byte transmissions       14       7.7.10       WHO         7.4.2       I2C start condition       14       7.7.11       I2C_AIC         7.4.4       I2C byte transmission       15       7.7.11       I2C_AIC         7.4.6       I2C register transfers       16       7.7.12.1       Self eres         7.4.6.1       Register write transfers       17       7.7.12.3       DSP_C         7.4.5       I2C top condition       16			7.7.5	_
7.3.4.2       Signal trim and compensation       10       (address         7.3.4.3       Low-pass filter       10       7.7.7       SOURC         7.3.4.4       Absolute pressure output data scaling equation       12       7.7.8       TIMINO         7.3.5.1       Temperature sensor signal chain       13       7.7.9       SPI Cc         7.3.5.2       Temperature sensor output scaling equation       13       7.7.9       SPI Cc         7.3.6.1       Common mode error detection signal chain       13       7.7.9.1       SPI Da         7.4.1       I2C bit transmissions       14       7.7.10       WHO       3Eh)         7.4.2       I2C start condition       14       3Eh)       3Eh)       3Eh)       3Eh)         7.4.4       I2C stop condition       16       7.7.12       DSP C       4Gdress         7.4.4       I2C stop condition       16       7.7.12       DSP C       4Gdress         7.4.5       I2C stop condition       16       7.7.12       DSP C       4Gdress         7.4.5       I2C stop condition       16       7.7.12       DSP C       4Gdress       4Gdress         7.4.6       I2C register transfers       16       7.7.12.1       Self-tes       7.7.12.2				
7.3.4.3       Low-pass filter       10       7.7.7       SOURG         7.3.4.4       Absolute pressure output data scaling equation       12       7.7.8       TIMING         7.3.5.7       Temperature sensor signal chain       13       7.7.9       SPI Cd         7.3.5.1       Temperature sensor output scaling equation       13       7.7.9       SPI Cd         7.3.5.2       Temperature sensor output scaling equation       13       7.7.9       SPI Cd         7.3.6       Common mode error detection signal chain       13       7.7.9.1       SPI Da         7.4       Inter-integrated circuit (I2C) interface       14       7.7.9.2       SPI Cd         7.4.1       I2C bit transmissions       14       7.7.10       WHO       3Eh)			7.7.6	
7.3.4.4       Absolute pressure output data scaling equation       register         7.3.5       Temperature sensor       13       7.7.8       TIMINO         7.3.5.1       Temperature sensor signal chain       13       7.7.9       SPI CG         7.3.5.2       Temperature sensor output scaling equation       13       7.7.9       SPI CG         7.3.6       Common mode error detection signal chain       13       7.7.9.1       SPI Da         7.4       Inter-integrated circuit (I2C) interface       14       7.7.9.2       SPI CF         7.4.1       I2C bit transmissions       14       7.7.10       WHO         7.4.3       I2C byte transmission       15       7.7.11       I2C_AL         7.4.4       I2C acknowledge and not acknowledge       (addres       (addres         transmissions       15       7.7.12       DSP_C         7.4.6       I2C register transfers       16       7.7.12.1       Self-tes         7.4.6.1       Register write transfers       16       7.7.12.3       DSP_C         7.4.6.2       Register read transfers       17       7.7.12.3       DSP_C         7.5.1       SPI command format       19       register       register         7.5.2       SPI respon				•
equation127.7.8TIMING register7.3.5Temperature sensor137.7.9SPI Co7.3.5.1Temperature sensor output scaling equation137.7.9SPI Co7.3.5.2Temperature sensor output scaling equation137.7.9SPI Co7.3.6Common mode error detection signal chain137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CF7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition147.7.10WHO7.4.3I2C byte transmission157.7.11I2C_AB7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP Co7.4.5I2C stop condition16Ux)Ux)7.4.6.1Register write transfers167.7.12.1Self-tes7.4.6.2Register read transfers167.7.12.2DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.6.3Sensor data register read wrap around177.7.12.4DSP_C7.5.1SPI command format19register7.5.3Command format19register7.5.3Register read command217.7.14P_INT_7.5.3Sensor data request commands24to 49h)7.5.4Error checking26register7.5.5Exception handling27(addressister)<			7.7.7	
7.3.5Temperature sensor13register7.3.5.1Temperature sensor signal chain137.7.9SPI Cd7.3.5.2Temperature sensor output scaling equation137.7.9SPI Cd7.3.6Common mode error detection signal chain137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CF7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)7.7.11I2C_AE7.4.3I2C byte transmission157.7.12DSP C7.4.4I2C acknowledge and not acknowledge(addreetransmissions157.7.12DSP C7.4.5I2C stop condition16Ux)tegistertegister7.4.6.1Register write transfers167.7.12.1Self-tesregister7.4.6.2Register read transfers167.7.12.2DSP_Cregister7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5.1SPI command format19registerregister7.5.3Command summary217.7.14P_INT7.5.3Sensor data request command22compare7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27 <td>7.3.4.4</td> <td></td> <td></td> <td></td>	7.3.4.4			
7.3.5.1Temperature sensor signal chain137.7.9SPI Co.7.3.5.2Temperature sensor output scaling equation137.7.9SPI Co.7.3.6Common mode error detection signal chain137.7.9.1SPI Da.7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI Co.7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP Co.7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers167.7.12.3DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.2Register read command227.7.15P_CAL7.5.4Error checking267.7.16DSP_S7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrese			7.7.8	-
7.3.5.2Temperature sensor output scaling equation13CFG, A7.3.6Common mode error detection signal chain137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CF7.4.1I2C bit transmissions147.7.10WHO_A7.4.2I2C start condition143Eh)7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge(addresstransmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.17.4.6.1Register write transfers167.7.12.27.4.6.2Register read transfers177.7.12.37.4.7I2C timing diagram18register7.5.1SPI command format19register7.5.2SPI response format217.7.147.5.3Command summary217.7.147.5.3.1Register read command22compar7.5.3.2Register write command24to 49h)7.5.3.4Reserved commands257.7.157.5.4Error checking267.7.167.5.5Exception handling27(address				0
7.3.6Common mode error detection signal chain137.7.9.1SPI Da7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CF7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge(addresstransmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.17.4.6.1Register write transfers167.7.12.27.4.6.2Register read transfers177.7.12.37.4.6.3Sensor data register read wrap around177.7.12.37.5Standard 32-bit SPI protocol187.7.12.47.5.1SPI command format19register7.5.2SPI response format217.7.147.5.3Command summary217.7.147.5.4Error checking267.7.157.5.4Error checking267.7.167.5.5Exception handling27(address		· •	7.7.9	_
7.4Inter-integrated circuit (I2C) interface147.7.9.2SPI CF7.4.1I2C bit transmissions147.7.10WHO7.4.2I2C start condition143Eh)3Eh)7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers17register7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram18register7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command summary217.7.14P_INT_A7.5.3Sensor data request command22compari7.5.4Error checking267.7.15P_CAL7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addres				
7.4.1       I2C bit transmissions       14       7.7.10       WHO         7.4.2       I2C start condition       14       3Eh)       3Eh)         7.4.3       I2C byte transmission       15       7.7.11       I2C_AE         7.4.4       I2C acknowledge and not acknowledge transmissions       15       7.7.12       DSP C         7.4.4       I2C stop condition       16       Ux)       Ux)       16         7.4.5       I2C stop condition       16       7.7.12       DSP C       17         7.4.6       I2C register transfers       16       7.7.12.1       Self-tes         7.4.6.1       Register write transfers       16       7.7.12.2       DSP_C         7.4.6.2       Register read transfers       17       7.7.12.3       DSP_C         7.4.6.3       Sensor data register read wrap around       17       7.7.12.3       DSP_C         7.4.7       I2C timing diagram       18       7.7.12.4       DSP_C         7.5.1       SPI command format       19       register       register         7.5.2       SPI response format       21       7.7.14       P_INT_         7.5.3       Command summary       21       7.7.14       P_INT_         7.				
7.4.2I2C start condition143Eh)7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP C7.4.5I2C stop condition16Ux)Ux)7.4.6I2C register transfers167.7.12DSP C7.4.6.1Register write transfers167.7.12.1Self-tes7.4.6.2Register read transfers167.7.12.2DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5.1SPI command format19registerregister7.5.2SPI response format197.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.1Register read command227.7.15P_CAL7.5.3.3Sensor data request commands24to 49h)7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(address				-
7.4.3I2C byte transmission157.7.11I2C_AE7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers167.7.12.2DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5.1SPI command format197.7.13INT_CF7.5.2SPI response format217.7.14P_INT_7.5.3Command summary217.7.14P_INT_7.5.3.4Reserved commands24to 49h)7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest			7.7.10	
7.4.4I2C acknowledge and not acknowledge transmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers177.7.12.3DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5.1SPI command format197.7.12.4DSP_C7.5.2SPI response format197.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.1Register read command217.7.14P_INT_7.5.3.2Register write command24to 49h)7.5.3.4Reserved commands257.7.15P_CAL7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest				,
transmissions157.7.12DSP C7.4.5I2C stop condition16Ux)7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers177.7.12.2DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.2Register read command22compati7.5.3.3Sensor data request commands24to 49h)7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest			7.7.11	_
7.4.5       I2C stop condition       16       Ux)         7.4.6       I2C register transfers       16       7.7.12.1       Self-teg         7.4.6.1       Register write transfers       16       7.7.12.2       DSP_C         7.4.6.2       Register read transfers       17       7.7.12.3       DSP_C         7.4.6.3       Sensor data register read wrap around       17       7.7.12.3       DSP_C         7.4.7       I2C timing diagram       18       register         7.5       Standard 32-bit SPI protocol       18       7.7.12.4       DSP_C         7.5.1       SPI command format       19       register       register         7.5.2       SPI response format       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.14       P_INT_         7.5.3.1       Register read command       21       7.7.14       P_INT_         7.5.3.2       Register write commands       24       to 49h)       7.5.3.4         7.5.4       Error checking       26       7.7.16       DSP_S         7.5.4       Error checking       27       (addres)         7.5.5       Exception handling       27       (addres) <td>7.4.4</td> <td></td> <td></td> <td>(addres</td>	7.4.4			(addres
7.4.6I2C register transfers167.7.12.1Self-tes7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers177.7.12.3DSP_C7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format197.7.13INT_CF7.5.2SPI response format217.7.14P_INT_CF7.5.3Command summary217.7.14P_INT_CF7.5.3.1Register read command22compation7.5.3.2Register write command24to 49h)7.5.3.4Reserved commands257.7.15P_CAL7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest			7.7.12	
7.4.6.1Register write transfers167.7.12.2DSP_C7.4.6.2Register read transfers17register7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram18register7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format197.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.2Register read command217.7.14P_INT_7.5.3.3Sensor data request commands24to 49h)7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest	7.4.5			Ux)
7.4.6.2Register read transfers17register7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram187.7.12.4DSP_C7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.1Register read command22compation7.5.3.2Register write command24to 49h)7.5.3.4Reserved commands257.7.15P_CAL7.5.4Error checking26register7.5.5Exception handling27(addrest				
7.4.6.3Sensor data register read wrap around177.7.12.3DSP_C7.4.7I2C timing diagram18register7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format197.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.2Register read command217.7.14P_INT_7.5.3.3Sensor data request commands24to 49h)7.5.4Error checking267.7.16DSP_S7.5.5Exception handling27(addrest			7.7.12.2	DSP_C
7.4.7I2C timing diagram18register7.5Standard 32-bit SPI protocol187.7.12.4DSP_C7.5.1SPI command format19register7.5.2SPI response format217.7.13INT_CF7.5.3Command summary217.7.14P_INT_7.5.3.2Register read command22compare7.5.3.3Sensor data request commands24to 49h)7.5.3.4Reserved commands257.7.15P_CAL7.5.4Error checking26register7.5.5Exception handling27(addrest				register
7.5       Standard 32-bit SPI protocol       18       7.7.12.4       DSP_C         7.5.1       SPI command format       19       register         7.5.2       SPI response format       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.14       P_INT_         7.5.3.1       Register read command       21       7.7.14       P_INT_         7.5.3.2       Register write command       22       compare         7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register       register         7.5.5       Exception handling       27       (addrest			7.7.12.3	DSP_C
7.5.1       SPI command format       19       register         7.5.2       SPI response format       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.14       P_INT_         7.5.3.1       Register read command       22       compare         7.5.3.2       Register write command       22       compare         7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register       register         7.5.4       Default 8-bit CRC       26       7.7.16       DSP_S         7.5.5       Exception handling       27       (address)	7.4.7			register
7.5.2       SPI response format       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.13       INT_CF         7.5.3       Command summary       21       7.7.13       INT_CF         7.5.3       Register read command       21       7.7.14       P_INT_         7.5.3.2       Register write command       22       compare         7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register       register         7.5.4.1       Default 8-bit CRC       26       7.7.16       DSP_S         7.5.5       Exception handling       27       (address)	7.5	Standard 32-bit SPI protocol 18	7.7.12.4	DSP_C
7.5.3       Command summary       21       (address         7.5.3.1       Register read command       21       7.7.14       P_INT_         7.5.3.2       Register write command       22       compare         7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register       register         7.5.5       Exception handling       27       (address				register
7.5.3.1       Register read command       21       7.7.14       P_INT_         7.5.3.2       Register write command       22       compare         7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register       register         7.5.5       Exception handling       27       (address)			7.7.13	INT_CF
7.5.3.2Register write command22comparison7.5.3.3Sensor data request commands24to 49h)7.5.3.4Reserved commands257.7.15P_CAL7.5.4Error checking26register7.5.4.1Default 8-bit CRC267.7.16DSP_S7.5.5Exception handling27(address)		Command summary21		(addres
7.5.3.3       Sensor data request commands       24       to 49h)         7.5.3.4       Reserved commands       25       7.7.15       P_CAL         7.5.4       Error checking       26       register         7.5.4.1       Default 8-bit CRC       26       7.7.16       DSP_S         7.5.5       Exception handling       27       (address)			7.7.14	P_INT_
7.5.3.4         Reserved commands         25         7.7.15         P_CAL           7.5.4         Error checking         26         register           7.5.4.1         Default 8-bit CRC         26         7.7.16         DSP_S           7.5.5         Exception handling         27         (address)	7.5.3.2			compar
7.5.4Error checking26register7.5.4.1Default 8-bit CRC267.7.16DSP_S7.5.5Exception handling27(address)	7.5.3.3			to 49h)
7.5.4.1Default 8-bit CRC267.7.16DSP_S7.5.5Exception handling27(address)	7.5.3.4	Reserved commands25	7.7.15	P_CAL
7.5.5 Exception handling	7.5.4	Error checking26		register
	7.5.4.1	Default 8-bit CRC26	7.7.16	DSP_S
FXPS7115D4 All information provided in this document is subject to legal disclaimers	7.5.5	Exception handling27		(addres
	FXPS7115D4	All information provided in this do	cument is subject to lea	al disclaimers

7.5.5.1	Basic status field	
7.5.5.2	Error responses	27
7.5.5.3	SPI error	
7.5.5.4	SPI data output verification error	28
7.5.6	SPI timing diagram	29
7.6	User-accessible data array	29
7.7	Register information	33
7.7.1	COUNT - rolling counter register (address	
	00h)	33
7.7.2	Device status registers	33
7.7.2.1	DEVSTAT - device status register (address	
	01h)	33
7.7.2.2	DEVSTAT1 - device status register (address	
	02h)	34
7.7.2.3	DEVSTAT2 - device status register (address	
	03h)	35
7.7.2.4	DEVSTAT3 - device status register (address	
	04h)	
7.7.3	TEMPERATURE - temperature register	
	(address 0Eh)	36
7.7.4	DEVLOCK WR - lock register writes register	
	(address 10h)	37
7.7.5	UF_REGION_W, UF_REGION_R - UF	
	region selection registers (address 14h, 15h)	38
7.7.6	COMMTYPE - communication type register	
	(address 16h)	39
7.7.7	SOURCEID_x - source identification	00
	registers (address 1Ah, 1Bh)	40
7.7.8	TIMING CFG - communication timing	10
1.1.0	register (address 22h)	40
7.7.9	SPI Configuration Control Register (SPI_	
1.1.0	CFG, Address 3Dh)	41
7.7.9.1	SPI Data Field Size (DATASIZE)	
7.7.9.2	SPI CRC Length and Seed Bits	
7.7.10	WHO_AM_I - who am I register (address	+ 1
1.1.10	3Eh)	41
7.7.11	I2C ADDRESS - I2C slave address register	דו
1.1.11	(address 3Fh)	12
7.7.12	DSP Configuration Registers (DSP_CFG_	72
1.1.12		12
7.7.12.1	Self-test control bits	42
7.7.12.1	DSP CFG U1 - DSP user configuration #1	72
1.1.12.2	register (address 40h)	13
7.7.12.3	DSP_CFG_U4 - DSP user configuration #4	43
1.1.12.5	register (address 43h)	11
7.7.12.4	DSP_CFG_U5 - DSP user configuration #5	44
1.1.12.4	register (address 44h)	11
7.7.13	INT CFG - interrupt configuration register	44
1.1.15	(address 45h)	15
7.7.14	P_INT_HI, P_INT_LO - interrupt window	45
1.1.14	comparator threshold registers (address 46h	
		10
7.7.15	to 49h)	40
GI.I.I	P_CAL_ZERO - pressure calibration	47
7740	registers (address 4Ch, 4Dh)	47
7.7.16	DSP_STAT - DSP specific status register	40
	(address 60h)	48

Digital Absolute Pressure Sensor, 40 to 115 kPa

7.7.17	DEVSTAT_COPY - device status copy
	register (address 61h) 48
7.7.18	SNSDATA0_L, SNSDATA0_H - sensor data
	#0 registers (address 62h, 63h)49
7.7.19	SNSDATA1_L, SNSDATA1_H - sensor data
	#1 registers (address 64h, 65h)49
7.7.20	SNSDATA0_TIMEx - time stamp registers
7.7.21	(address 66h to 6Bh)50 P MAX, P MIN - maximum and minimum
1.1.21	absolute pressure value registers (address
	6Ch to 6Fh)
7.7.22	FRT - free running timer registers
	(addresses 78h to 7Dh)51
7.7.23	DSP_CFG_F Register 51
7.7.24	IC type register (Address C0h)52
7.7.25	IC manufacturer revision register (Address
7 7 00	C1h)52 IC manufacturer identification register
7.7.26	IC manufacturer identification register (address C2h)53
7.7.27	Part number register (address C4h, C5h)53
7.7.28	Device serial number registers
7.7.29	ASIC wafer ID registers
7.7.30	Transducer wafer ID registers
7.7.31	USERDATA_0 to USERDATA_E - user data
	registers56
7.7.32	USERDATA_10 to USERDATA_1E - user
7 7 00	data registers
7.7.33	Lock and CRC Registers
7.7.34 7.7.35	Reserved registers56 Invalid register addresses57
7.8	Read/write register array CRC verification57
7.0 <b>8</b>	Maximum ratings57
o 9	
•	Operating range
10 11	Static characteristics
11 12	Dynamic characteristics
12	Media compatibility—pressure sensors
13	only64 Pressure sensor accuracy (drift over
13	temperature and life)
14	Application information
15	Package outline
16	References
17	Revision history70
18	Legal information71
	-

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.

#### © NXP B.V. 2018.

All rights reserved.

For more information, please visit: http://www.nxp.com For sales office addresses, please send an email to: salesaddresses@nxp.com

Date of release: 16 August 2018 Document identifier: FXPS7115D4