


MECHANICAL CASE OUTLINE
PACKAGE DIMENSIONS

ON Semiconductor®



RF TAG 165.7x20mm
 CASE 888AJ
 ISSUE A

DATE 24 MAY 2017



- NOTES:
1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
 2. CONTROLLING DIMENSION: MILLIMETERS.
 3. ANTENNA SIZE DETERMINED BY DIMENSIONS D AND E.
 4. LABEL SIZE DETERMINED BY DIMENSIONS D1 AND E1.
 5. LABEL IS 0.076 THICK PET TAPE. ANTENNA IS 0.009 THICK ALUMINUM.

DIM	MILLIMETERS		
	MIN	NOM	MAX
D	163.60	163.70	163.80
E	17.90	18.00	18.10
D1	165.60	165.70	165.80
E1	19.90	20.00	20.10

DOCUMENT NUMBER:	98AON14001G	Electronic versions are uncontrolled except when accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped "CONTROLLED COPY" in red.
STATUS:	ON SEMICONDUCTOR STANDARD	
NEW STANDARD:		
DESCRIPTION:	RF TAG 165.7X20MM	PAGE 1 OF 2

