




28" AUDIO AMPLIFIER CIRCUIT





SM476-SW486
R476-R554
C476-0.33uF
D476-0499
EM476-EM477
Q476-Q482
L476






MAIN PUB






MAIN
BOARD


28" NICAM CIRCUIT




NICAM 1



28" DRIVE CIRCUIT




1) 5 usn/div 100 volt/div




Collector of Q101

2) 20 usn/div 2volt/div




IC-476 pin 26

3) 5m sn/div 2volt/div




IC-476 pin 27

4) 5 msn/div 0,5 volt/div




IC-181 pin 41

5) 5 msn/div 1 volt/div




IC-576 pin 5

6) 5 msn/div 20 volt/div




IC-576 pin 3

7) 20 usn/div 2 volt/div




IC-181 pin 38

8) 20 usn/div 2 volt/div




IC-181 pin 20

9) 20 usn/div 2 volt/div




IC-181 pin 19

10) 10 usn/div 2 volt/div




IC-181 pin 18

11) 10 usn/div 200 volt/div




Collector of Q 580

12) 20 usn/div 0.5 volt/div




IC-181 pin 37


13) 20 usn/div 50 volt/div




14) 20 usn/div 1 volt/div



28" REMOTE SENSOR CIRCUIT




TELETEXT CIRCUIT




SM476-3M486
R476-R554
D476-Q490
D476-Q499
EM476-EM477
L476-Q482
L476

MAIN CIRCUIT



R51-R83
C51-C59
D51-D57
Q51-Q57
L51-
EM51-
VR51-VR55

28" CRT CIRCUIT



R101-R116, R120-R128
 C101-C109, C110-C115, C135-C140
 D101-D109, D120-D126
 EM101-EM108, EM120
 VR101
 IC101, IC122-IC123
 Q101, Q120-Q123
 NLL120-L122
 SW101

28" POWER CIRCUIT

